


**(** Tel: 400-999-8863 ■ Email:Upingbio.163.com




## RBM34 Polyclonal Antibody

Catalog No	YP-Ab-01970
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB;IHC;IF;ELISA
Gene Name	RBM34
Protein Name	RNA-binding protein 34
Immunogen	The antiserum was produced against synthesized peptide derived from human RBM34. AA range:345-394
Specificity	RBM34 Polyclonal Antibody detects endogenous levels of RBM34 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB: 1/500 - 1/2000. IHC: 1/100 - 1/300. ELISA: 1/20000 IF 1:50-200
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
	-20 G/T year
Synonyms	RBM34; KIAA0117; RNA-binding protein 34; RNA-binding motif protein 34
Synonyms Observed Band	·
	RBM34; KIAA0117; RNA-binding protein 34; RNA-binding motif protein 34
Observed Band	RBM34; KIAA0117; RNA-binding protein 34; RNA-binding motif protein 34 50kD
Observed Band Cell Pathway	RBM34; KIAA0117; RNA-binding protein 34; RNA-binding motif protein 34 50kD Nucleus, nucleolus.
Observed Band Cell Pathway Tissue Specificity	RBM34; KIAA0117; RNA-binding protein 34; RNA-binding motif protein 34  50kD  Nucleus, nucleolus.  Bone marrow,Epithelium,Lung,Testis,  PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,similarity:Belongs to the RRM RBM34 family.,similarity:Contains 2 RRM
Observed Band Cell Pathway Tissue Specificity Function	RBM34; KIAA0117; RNA-binding protein 34; RNA-binding motif protein 34  50kD  Nucleus, nucleolus.  Bone marrow,Epithelium,Lung,Testis,  PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,similarity:Belongs to the RRM RBM34 family.,similarity:Contains 2 RRM (RNA recognition motif) domains.,  PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,similarity:Belongs to the RRM RBM34 family.,similarity:Contains 2 RRM
Observed Band Cell Pathway Tissue Specificity Function Background matters needing	RBM34; KIAA0117; RNA-binding protein 34; RNA-binding motif protein 34  50kD  Nucleus, nucleolus.  Bone marrow,Epithelium,Lung,Testis,  PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,similarity:Belongs to the RRM RBM34 family.,similarity:Contains 2 RRM (RNA recognition motif) domains.,  PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,similarity:Belongs to the RRM RBM34 family.,similarity:Contains 2 RRM (RNA recognition motif) domains.,


## **Products Images**



Western Blot analysis of 3T3 cells using RBM34 Polyclonal Antibody cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003,Inventbiotech,MN,USA).



Western blot analysis of RBM34 Antibody. The lane on the right is blocked with the RBM34 peptide.



Immunohistochemistry analysis of paraffin-embedded human breast carcinoma tissue, using RBM34 Antibody. The picture on the right is blocked with the synthesized peptide.