



TF2H4 Polyclonal Antibody

Catalog No	YP-Ab-05014
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB;ELISA
Gene Name	GTF2H4
Protein Name	General transcription factor IIH subunit 4 (Basic transcription factor 2 52 kDa subunit) (BTF2 p52) (General transcription factor IIH polypeptide 4) (TFIIH basal transcription factor complex p52 subun
Immunogen	Synthesized peptide derived from human protein . at AA range: 380-460
Specificity	TF2H4 Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	50kD
Cell Pathway	Nucleus.
Tissue Specificity	Coronary artery,Peripheral blood leukocyte,Pre-B cell,Skin,
Function	function:Component of the core-TFIIH basal transcription factor involved in nucleotide excision repair (NER) of DNA and, when complexed to CAK, in RNA transcription by RNA polymerase II.,similarity:Belongs to the TFB2 family.,subunit:One of the six subunits forming the core-TFIIH basal transcription factor.,
Background	function:Component of the core-TFIIH basal transcription factor involved in nucleotide excision repair (NER) of DNA and, when complexed to CAK, in RNA transcription by RNA polymerase II.,similarity:Belongs to the TFB2 family.,subunit:One of the six subunits forming the core-TFIIH basal transcription factor.,
matters needing attention	Avoid repeated freezing and thawing!

**Usage suggestions**

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images