

**(** Tel: 400-999-8863 ■ Email:Upingbio.163.com




## CALL6 Polyclonal Antibody

| Catalog No                | YP-Ab-05409   |
|---------------------------|---|
| Isotype                   | IgG   |
| Reactivity                | Human;Rat;Mouse;  |
| Applications              | WB;ELISA  |
| Gene Name                 | CALML6 CAGLP CALGP  |
| Protein Name              | Calmodulin-like protein 6 (Calglandulin-like protein)   |
| Immunogen                 | Synthesized peptide derived from part region of human protein   |
| Specificity               | CALL6 Polyclonal Antibody detects endogenous levels of protein.   |
| Formulation               | Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.  |
| Source                    | Polyclonal, Rabbit,IgG  |
| Purification              | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.   |
| Dilution                  | WB 1:500-2000 ELISA 1:5000-20000  |
| Concentration             | 1 mg/ml   |
| Purity                    | ≥90%  |
| Storage Stability         | -20°C/1 year  |
| Synonyms                  |   |
| Observed Band             | 19kD  |
| Cell Pathway              | Cytoplasm . Nucleus .   |
| Tissue Specificity        | Expressed in prostate, thymus, heart, skeleton muscle, bone marrow and ovary.   |
| Function                  | similarity:Belongs to the calmodulin family. Calglandulin subfamily.,similarity:Contains 4 EF-hand domains.,tissue specificity:Expressed in prostate, thymus, heart, skeleton muscle, bone marrow and ovary., |
| Background                | similarity:Belongs to the calmodulin family. Calglandulin subfamily.,similarity:Contains 4 EF-hand domains.,tissue specificity:Expressed in prostate, thymus, heart, skeleton muscle, bone marrow and ovary., |
| matters needing attention | Avoid repeated freezing and thawing!  |
| Usage suggestions         | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.   |
|                           |   |



## **Products Images**



Western blot analysis of lysates from A431 cells, primary antibody was diluted at 1:1000, 4° over night