

(Tel: 400-999-8863 ■ Email:Upingbio.163.com



RHG30 Polyclonal Antibody

Catalog No	YP-Ab-06088
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB;ELISA
Gene Name	ARHGAP30
Protein Name	Rho GTPase-activating protein 30 (Rho-type GTPase-activating protein 30)
Immunogen	Synthesized peptide derived from human protein . at AA range: 230-310
Specificity	RHG30 Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	
	121kD
Cell Pathway	121kD Cytoplasmic vesicle .
Cell Pathway Tissue Specificity	
•	Cytoplasmic vesicle .
Tissue Specificity	Cytoplasmic vesicle . Blood,Endometrium,Epithelium,Spleen,T-cell,Testis,Thymus, function:GTPase activator for the Rho-type GTPases by converting them to an
Tissue Specificity Function	Cytoplasmic vesicle . Blood,Endometrium,Epithelium,Spleen,T-cell,Testis,Thymus, function:GTPase activator for the Rho-type GTPases by converting them to an inactive GDP-bound state.,similarity:Contains 1 Rho-GAP domain., function:GTPase activator for the Rho-type GTPases by converting them to an
Tissue Specificity Function Background matters needing	Cytoplasmic vesicle . Blood,Endometrium,Epithelium,Spleen,T-cell,Testis,Thymus, function:GTPase activator for the Rho-type GTPases by converting them to an inactive GDP-bound state.,similarity:Contains 1 Rho-GAP domain., function:GTPase activator for the Rho-type GTPases by converting them to an inactive GDP-bound state.,similarity:Contains 1 Rho-GAP domain.,



UpingBio technology Co.,Ltd

📞 Tel: 400-999-8863 🗷 Email:Upingbio.163.com

Website:	www.upingBio.com	

Products Images