





DGLA Polyclonal Antibody

Catalog No	YP-Ab-06193	
Isotype	IgG	
Reactivity	Human;Rat;Mouse	
Applications	WB;ELISA	
Gene Name	DAGLA C11orf11 KIAA0659 NSDDR	
Protein Name	Sn1-specific diacylglycerol lipase alpha (DGL-alpha) (EC 3.1.1) (Neural stem cell-derived dendrite regulator)	
Immunogen	Synthesized peptide derived from human protein . at AA range: 900-980	
Specificity	DGLA Polyclonal Antibody detects endogenous levels of protein.	
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.	
Source	Polyclonal, Rabbit,IgG	
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.	
Dilution	WB 1:500-2000 ELISA 1:5000-20000	
Concentration	1 mg/ml	
Purity	≥90%	
Storage Stability	-20°C/1 year	
Synonyms		
Observed Band	114kD	
Cell Pathway	Cell membrane; Multi-pass membrane protein. Cell junction, synapse, postsynaptic density membrane; Multi-pass membrane protein. Early endosome membrane; Multi-pass membrane protein. Cell projection, dendritic spine membrane; Multi-pass membrane protein. Cycles between the cell surface and an intracellular endosomal compartment. Internalized by early endosomes via a clathrin-independent pathway before transport back to the postsynaptic membrane surface in a PKC-dependent manner.	
Tissue Specificity	Highly expressed in brain and pancreas.	
Function	cofactor:Calcium.,enzyme regulation:Inhibited by p-hydroxy-mercuri-benzoate and HgCl(2), but not to PMSF. Also inhibited by RHC80267, a drug that blocks 2-AG formation.,function:Catalyzes the hydrolysis of diacylglycerol (DAG) to 2-arachidonoyl-glycerol (2-AG), the most abundant endocannabinoid in tissues. Required for axonal growth during development and for retrograde synaptic signaling at mature synapses.,similarity:Belongs to the AB hydrolase superfamily. Lipase family.,tissue specificity:Highly expressed in brain and pancreas.,	
Background	This gene encodes a diacylglycerol lipase. The encoded enzyme is involved in the biosynthesis of the endocannabinoid 2-arachidonoyl-glycerol.[provided by	
	RefSeq, Nov 2010],	



UpingBio technology Co.,Ltd

(Tel: 400-999-8863 ■ Emall:Upingbio.163.com



matters	needing		
attention			

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images			