



TAF1L Polyclonal Antibody

Catalog No	YP-Ab-06302
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB;ELISA
Gene Name	TAF1L
Protein Name	Transcription initiation factor TFIID subunit 1-like (TAF(II)210) (TBP-associated factor 1-like) (TBP-associated factor 210 kDa) (Transcription initiation factor TFIID 210 kDa subunit)
Immunogen	Synthesized peptide derived from part region of human protein
Specificity	TAF1L Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	200kD
Cell Pathway	Nucleus .
Tissue Specificity	Testis specific, expressed apparently in germ cells.
Function	function:May act as a functional substitute for TAF1/TAFII250 during male meiosis, when sex chromosomes are transcriptionally silenced.,similarity:Belongs to the TAF1 family.,similarity:Contains 2 bromo domains.,subunit:Can bind directly to TATA-box binding protein (TBP).,tissue specificity:Testis specific, expressed apparently in germ cells.,
Background	This locus is intronless, and apparently arose in the primate lineage from retrotransposition of the transcript from the multi-exon TAF1 locus on the X chromosome. The gene is expressed in male germ cells, and the product has been shown to function interchangeably with the TAF1 product. [provided by RefSeq, Aug 2015],
matters needing attention	Avoid repeated freezing and thawing!

**Usage suggestions**

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images