



UBP35 Polyclonal Antibody

| | |
|----------------------------------|---|
| Catalog No | YP-Ab-06343 |
| Isotype | IgG |
| Reactivity | Human;Rat;Mouse; |
| Applications | WB;ELISA |
| Gene Name | USP35 KIAA1372 USP34 |
| Protein Name | Ubiquitin carboxyl-terminal hydrolase 35 (EC 3.4.19.12) (Deubiquitinating enzyme 35) (Ubiquitin thioesterase 35) (Ubiquitin-specific-processing protease 35) |
| Immunogen | Synthesized peptide derived from part region of human protein |
| Specificity | UBP35 Polyclonal Antibody detects endogenous levels of protein. |
| Formulation | Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. |
| Source | Polyclonal, Rabbit,IgG |
| Purification | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | WB 1:500-2000 ELISA 1:5000-20000 |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | |
| Observed Band | 111kD |
| Cell Pathway | |
| Tissue Specificity | Expressed in testis, pancreas and skeletal muscle. |
| Function | catalytic activity:Ubiquitin C-terminal thioester + H(2)O = ubiquitin + a thiol.,similarity:Belongs to the peptidase C19 family.,tissue specificity:Expressed in testis, pancreas and skeletal muscle., |
| Background | catalytic activity:Ubiquitin C-terminal thioester + H(2)O = ubiquitin + a thiol.,similarity:Belongs to the peptidase C19 family.,tissue specificity:Expressed in testis, pancreas and skeletal muscle., |
| matters needing attention | Avoid repeated freezing and thawing! |
| Usage suggestions | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel. |



Products Images