



# RPRD2 Polyclonal Antibody

<b>Catalog No</b>	YP-Ab-06374
<b>Isotype</b>	IgG
<b>Reactivity</b>	Human;Mouse
<b>Applications</b>	WB;ELISA
<b>Gene Name</b>	RPRD2 KIAA0460 HSPC099
<b>Protein Name</b>	Regulation of nuclear pre-mRNA domain-containing protein 2
<b>Immunogen</b>	Synthesized peptide derived from human protein . at AA range: 1370-1450
<b>Specificity</b>	RPRD2 Polyclonal Antibody detects endogenous levels of protein.
<b>Formulation</b>	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
<b>Source</b>	Polyclonal, Rabbit,IgG
<b>Purification</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Dilution</b>	WB 1:500-2000 ELISA 1:5000-20000
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	≥90%
<b>Storage Stability</b>	-20°C/1 year
<b>Synonyms</b>	
<b>Observed Band</b>	160kD
<b>Cell Pathway</b>	nucleoplasm,DNA-directed RNA polymerase II, holoenzyme,
<b>Tissue Specificity</b>	Brain,Epithelium,Placenta,Salivary gland,Testis,Umb
<b>Function</b>	PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,similarity:Contains 1 CID domain.,
<b>Background</b>	PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,similarity:Contains 1 CID domain.,
<b>matters needing attention</b>	Avoid repeated freezing and thawing!
<b>Usage suggestions</b>	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.



## Products Images

