

📞 Tel: 400-999-8863 🗷 Emall:Upingbio.163.com



## CDY1 Polyclonal Antibody

| Catalog No         | YP-Ab-06595   |
|--------------------|---|
| Isotype            | IgG   |
| Reactivity         | Human;Rat;Mouse;  |
| Applications       | WB;ELISA  |
| Gene Name          | CDY1 CDY1A; CDY1B   |
| Protein Name       | Testis-specific chromodomain protein Y 1 (EC 2.3.1.48)  |
| Immunogen          | Synthesized peptide derived from human protein . at AA range: 210-290   |
| Specificity        | CDY1 Polyclonal Antibody detects endogenous levels of protein.  |
| Formulation        | Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.  |
| Source             | Polyclonal, Rabbit,IgG  |
| Purification       | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.   |
| Dilution           | WB 1:500-2000 ELISA 1:5000-20000  |
| Concentration      | 1 mg/ml   |
| Purity             | ≥90%  |
| Storage Stability  | -20°C/1 year  |
| Synonyms           |   |
| Observed Band      | 59kD  |
| Cell Pathway       | Nucleus .   |
| Tissue Specificity | Testis-specific. Detected in spermatids (at protein level).   |
| Function           | catalytic activity:Acetyl-CoA + histone = CoA + acetylhistone.,function:Has histone acetyltransferase activity, with a preference for histone H4.,similarity:Contains 1 chromo domain.,tissue specificity:Testis specific.,   |
| Background         | This gene encodes a protein containing a chromodomain and a histone acetyltransferase catalytic domain. Chromodomain proteins are components of heterochromatin-like complexes and can act as gene repressors. This protein is localized to the nucleus of late spermatids where histone hyperacetylation takes place. Histone hyperacetylation is thought to facilitate the transition in which protamines replace histones as the major DNA-packaging protein. The human chromosome Y has two identical copies of this gene within a palindromic region; this record represents the more telomeric copy. Chromosome Y also contains a pair of closely related genes in another more telomeric palindrome as well as several related pseudogenes. Two protein isoforms are encoded by transcript variants of this gene. Additional transcript variants have been described, but their full-length nature has not been determined. [provided by |



## UpingBio technology Co.,Ltd

**(** Tel: 400-999-8863 ■ Emall:Upingbio.163.com



| matters   | needing |  |  |  |
|-----------|---------|--|--|--|
| attention |         |  |  |  |

Avoid repeated freezing and thawing!

**Usage suggestions** 

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

| Products Images |  |  |  |
|-----------------|--|--|--|
|                 |  |  |  |
|                 |  |  |  |
|                 |  |  |  |
|                 |  |  |  |
|                 |  |  |  |
|                 |  |  |  |