







CLC14 Polyclonal Antibody

YP-Ab-06946
IgG
Human;Rat;Mouse;
WB;ELISA
CLEC14A C14orf27 EGFR5 UNQ236/PRO269
C-type lectin domain family 14 member A (Epidermal growth factor receptor 5) (EGFR-5)
Synthesized peptide derived from part region of human protein
CLC14 Polyclonal Antibody detects endogenous levels of protein.
Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Polyclonal, Rabbit,IgG
The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
WB 1:500-2000 ELISA 1:5000-20000
1 mg/ml
≥90%
-20°C/1 year
53kD
Membrane ; Single-pass type I membrane protein .
Blood,Brain,
similarity:Contains 1 C-type lectin domain.,similarity:Contains 1 EGF-like domain.,
This gene encodes a member of the C-type lectin/C-type lectin-like domain (CTL/CTLD) superfamily. Members of this family share a common protein fold and have diverse functions, such as cell adhesion, cell-cell signalling, glycoprotein turnover, and roles in inflammation and immune response. This family member plays a role in cell-cell adhesion and angiogenesis. It functions in filopodia formation, cell migration and tube formation. Due to its presence at higher levels in tumor endothelium than in normal tissue endothelium, it is considered to be a candidate for tumor vascular targeting. [provided by RefSeq, Jan 2012],
Avoid repeated freezing and thawing!



UpingBio technology Co.,Ltd

€ Tel: 400-999-8863 🛎 Email:UpingBio@163.com

Website:	www.upingBio.com	*	4

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Pr	oducts Images