



PAR12 Polyclonal Antibody

Catalog No	YP-Ab-06995
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB;ELISA
Gene Name	PARP12 ZC3HDC1
Protein Name	Poly [ADP-ribose] polymerase 12 (PARP-12) (EC 2.4.2.30) (ADP-ribosyltransferase diphtheria toxin-like 12) (ARTD12) (Zinc finger CCCH domain-containing protein 1)
Immunogen	Synthesized peptide derived from part region of human protein
Specificity	PAR12 Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	77kD
Cell Pathway	Nucleus .
Tissue Specificity	Normal heart,Small intestine,Testis,
Function	catalytic activity:NAD(+) + (ADP-D-ribosyl)(n)-acceptor = nicotinamide + (ADP-D-ribosyl)(n+1)-acceptor.,similarity:Contains 1 PARP catalytic domain.,similarity:Contains 2 WWE domains.,similarity:Contains 4 C3H1-type zinc fingers.,
Background	catalytic activity:NAD(+) + (ADP-D-ribosyl)(n)-acceptor = nicotinamide + (ADP-D-ribosyl)(n+1)-acceptor.,similarity:Contains 1 PARP catalytic domain.,similarity:Contains 2 WWE domains.,similarity:Contains 4 C3H1-type zinc fingers.,
matters needing attention	Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images