

Website: www.upingBio.com

ARI3A Polyclonal Antibody

Catalog No	YP-Ab-07685
lsotype	lgG
Reactivity	Human;Rat;Mouse;
Applications	WB;ELISA
Gene Name	ARID3A DRIL1 DRIL3 DRX E2FBP1
Protein Name	AT-rich interactive domain-containing protein 3A (ARID domain-containing protein 3A) (B-cell regulator of IgH transcription) (Bright) (Dead ringer-like protein 1) (E2F-binding protein 1)
Immunogen	Synthesized peptide derived from part region of human protein AA range: 404-454
Specificity	ARI3A Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	65kD
Cell Pathway	Nucleus . Cytoplasm . Shuttles between nucleus and cytoplasm.
Tissue Specificity	Widely expressed, with highest expression in skeletal muscle, thalamus, and colon.
Function	function:Transcription factor which may be involved in the control of cell cycle progression by the RB1/E2F1 pathway and in B-cell differentiation.,induction:By TP53 following DNA damage.,similarity:Contains 1 ARID domain.,similarity:Contains 1 NAP (nucleosome assembly protein) domain.,subcellular location:Shuttles between nucleus and
	cytoplasm.,subunit:Homodimer. Heterodimer with ARID3B. Interacts with E2F1. Interacts with GTF2I and BTK.,tissue specificity:Widely expressed, with highest expression in skeletal muscle, thalamus, and colon.,



UpingBio technology Co.,Ltd

🔇 Tel: 400-999-8863 💌 Email:UpingBio@163.com

[provided by RefSeq, Jul 2008],

matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Ø Website: www.upingBio.com

Products Images