


MET22 rabbit pAb

Catalog No	YP-Ab-08403
Isotype	IgG
Reactivity	Human; Mouse
Applications	WB
Gene Name	METTL22 C16orf68 LP8272
Protein Name	MET22
Immunogen	Synthesized peptide derived from human MET22 AA range: 60-110
Specificity	This antibody detects endogenous levels of MET22 at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1: 500-2000
Concentration	1 mg/ml
Concentration	i ing/iii
Purity	≥90%
	•
Purity	≥90%
Purity Storage Stability	≥90%
Purity Storage Stability Synonyms	≥90%
Purity Storage Stability Synonyms Observed Band	≥90% -20°C/1 year
Purity Storage Stability Synonyms Observed Band Cell Pathway	≥90% -20°C/1 year
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	≥90% -20°C/1 year
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	≥90% -20°C/1 year Nucleus . This gene encodes a member of the non-histone lysine methyltransferases. It interacts with its substrate, Kin17, which is involved in DNA repair and replication and mRNA processing. Alternative splicing results in multiple transcript variants.
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	≥90% -20°C/1 year Nucleus . This gene encodes a member of the non-histone lysine methyltransferases. It interacts with its substrate, Kin17, which is involved in DNA repair and replication and mRNA processing. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2016],



Products Images



Western blot analysis of lysates from HCT116 cells, primary antibody was diluted at 1:1000, 4° over night