








CCD92 rabbit pAb

Catalog No	YP-Ab-08451
Isotype	IgG
Reactivity	Human; Mouse
Applications	WB
Gene Name	CCDC92
Protein Name	CCD92
Immunogen	Synthesized peptide derived from human CCD92 AA range: 43-93
Specificity	This antibody detects endogenous levels of CCD92 at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1: 500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Storage Stability Synonyms	-20°C/1 year
	-20°C/1 year
Synonyms	-20°C/1 year Cytoplasm, cytoskeleton, microtubule organizing center, centrosome, centriole . Cytoplasm .
Synonyms Observed Band	Cytoplasm, cytoskeleton, microtubule organizing center, centrosome, centriole .
Synonyms Observed Band Cell Pathway	Cytoplasm, cytoskeleton, microtubule organizing center, centrosome, centriole .
Synonyms Observed Band Cell Pathway Tissue Specificity	Cytoplasm, cytoskeleton, microtubule organizing center, centrosome, centriole . Cytoplasm .
Synonyms Observed Band Cell Pathway Tissue Specificity Function	Cytoplasm, cytoskeleton, microtubule organizing center, centrosome, centriole . Cytoplasm .
Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	Cytoplasm, cytoskeleton, microtubule organizing center, centrosome, centriole. Cytoplasm. caution:It is uncertain whether Met-1 or Met-18 is the initiator.,



Products Images



Western blot analysis of lysates from CACO2 cells, primary antibody was diluted at 1:1000, 4° over night