






OCAD1 rabbit pAb

Catalog No	YP-Ab-08866
Isotype	IgG
Reactivity	Human; Mouse;Rat
Applications	WB
Gene Name	OCIAD1 OCIA
Protein Name	OCAD1
Immunogen	Synthesized peptide derived from human OCAD1 AA range: 114-164
Specificity	This antibody detects endogenous levels of OCAD1 at Human/Mouse/Rat
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1: 500-2000
Concentration	1 mg/ml
	5,000/
Purity	≥90%
Purity Storage Stability	≥90% -20°C/1 year
Storage Stability	
Storage Stability Synonyms	
Storage Stability Synonyms Observed Band	-20°C/1 year
Storage Stability Synonyms Observed Band Cell Pathway	-20°C/1 year Endosome . Isoform 1 is highly expressed in many tissues, including testis, brain, placenta, ovary, prostate and mammary gland. Isoform 2 expression is restricted to the central nervous system including brain, cerebellum and spinal cord. similarity:Belongs to the OCIAD1 familysimilarity:Contains 1 OCIA
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	Endosome . Isoform 1 is highly expressed in many tissues, including testis, brain, placenta, ovary, prostate and mammary gland. Isoform 2 expression is restricted to the central nervous system including brain, cerebellum and spinal cord. similarity:Belongs to the OCIAD1 family.,similarity:Contains 1 OCIA domain.,tissue specificity:Isoform 1 is highly expressed in many tissues, including testis, brain, placenta, ovary, prostate and mammary gland. Isoform 2 expression is restricted to the central nervous system including brain, cerebellum and spinal
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	Endosome . Isoform 1 is highly expressed in many tissues, including testis, brain, placenta, ovary, prostate and mammary gland. Isoform 2 expression is restricted to the central nervous system including brain, cerebellum and spinal cord. similarity:Belongs to the OCIAD1 family.,similarity:Contains 1 OCIA domain.,tissue specificity:Isoform 1 is highly expressed in many tissues, including testis, brain, placenta, ovary, prostate and mammary gland. Isoform 2 expression is restricted to the central nervous system including brain, cerebellum and spinal
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	Endosome . Isoform 1 is highly expressed in many tissues, including testis, brain, placenta, ovary, prostate and mammary gland. Isoform 2 expression is restricted to the central nervous system including brain, cerebellum and spinal cord. similarity:Belongs to the OCIAD1 family.,similarity:Contains 1 OCIA domain.,tissue specificity:Isoform 1 is highly expressed in many tissues, including testis, brain, placenta, ovary, prostate and mammary gland. Isoform 2 expression is restricted to the central nervous system including brain, cerebellum and spinal cord,.,



Products Images



Western blot analysis of lysates from HEK293 cells, primary antibody was diluted at 1:1000, 4° over night