




TLL2 rabbit pAb

Catalog No	YP-Ab-08971
Isotype	IgG
Reactivity	Human; Mouse
Applications	WB
Gene Name	TLL2 KIAA0932
Protein Name	TLL2
Immunogen	Synthesized peptide derived from human TLL2 AA range: 268-318
Specificity	This antibody detects endogenous levels of TLL2 at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1: 500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	
Cell Pathway	Secreted .
Tissue Specificity	
Function	cofactor: Binds 1 zinc ion per subunit.,function: Protease which specifically processes pro-lysyl oxidase. Required for the embryonic development. Predominant protease, which in the development, influences dorsal-ventral patterning and skeletogenesis.,similarity: Belongs to the peptidase M12A family.,similarity: Contains 2 EGF-like domains.,similarity: Contains 5 CUB domains.,
Background	This gene encodes an astacin-like zinc-dependent metalloprotease and is a subfamily member of the metzincin family. Unlike other family members, a similar protein in mice does not cleave procollagen C-propeptides or chordin. [provided by RefSeq, Jul 2008],
matters needing attention	Avoid repeated freezing and thawing!

**Usage suggestions**

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images

Western blot analysis of lysates from MCF-7 cells, primary antibody was diluted at 1:1000, 4° over night