







MB3L1 rabbit pAb

Catalog No	YP-Ab-09257
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB
Gene Name	MBD3L1 MBD3L
Protein Name	Methyl-CpG-binding domain protein 3-like 1 (MBD3-like protein 1)
Immunogen	Synthesized peptide derived from human MB3L1 AA range: 136-186
Specificity	This antibody detects endogenous levels of human MB3L1
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1:1000-2000
Concentration	1 mg/ml
Purity	≥90%
Purity Storage Stability	≥90% -20°C/1 year
Storage Stability	
Storage Stability Synonyms	
Storage Stability Synonyms Observed Band	-20°C/1 year
Storage Stability Synonyms Observed Band Cell Pathway	-20°C/1 year Nucleus . Nuclear, in large foci. Highly expressed in testis. Detected at low levels in pancreas. Not detected in the
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	-20°C/1 year Nucleus . Nuclear, in large foci. Highly expressed in testis. Detected at low levels in pancreas. Not detected in the
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	-20°C/1 year Nucleus . Nuclear, in large foci. Highly expressed in testis. Detected at low levels in pancreas. Not detected in the
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	-20°C/1 year Nucleus . Nuclear, in large foci. Highly expressed in testis. Detected at low levels in pancreas. Not detected in the other tissues tested.



UpingBio technology Co.,Ltd

🕻 Tel: 400-999-8863 📾 Email:UpingBio@163.com

			4	
Website:	www.upingBio.com	I		١

Products Images