



# UN13D rabbit pAb

<b>Catalog No</b>	YP-Ab-09794
<b>Isotype</b>	IgG
<b>Reactivity</b>	Human;Mouse;Rat
<b>Applications</b>	WB
<b>Gene Name</b>	UNC13D
<b>Protein Name</b>	Protein unc-13 homolog D (Munc13-4)
<b>Immunogen</b>	Synthesized peptide derived from human UN13D AA range: 213-263
<b>Specificity</b>	This antibody detects endogenous levels of human UN13D
<b>Formulation</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source</b>	Polyclonal, Rabbit,IgG
<b>Purification</b>	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
<b>Dilution</b>	WB 1:1000-2000
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	≥90%
<b>Storage Stability</b>	-20°C/1 year
<b>Synonyms</b>	
<b>Observed Band</b>	
<b>Cell Pathway</b>	Cytoplasm. Membrane; Peripheral membrane protein. Late endosome. Recycling endosome. Lysosome. Colocalizes with cytotoxic granules at the plasma membrane. Localizes to endosomal exocytic vesicles.
<b>Tissue Specificity</b>	Expressed at high levels in spleen, thymus and leukocytes. Also expressed in lung and placenta, and at very low levels in brain, heart, skeletal muscle and kidney. Expressed in cytotoxic T-lymphocytes (CTL) and mast cells.
<b>Function</b>	
<b>Background</b>	
<b>matters needing attention</b>	Avoid repeated freezing and thawing!
<b>Usage suggestions</b>	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.



## Products Images