



## QRIC2 rabbit pAb

<b>Catalog No</b>	YP-Ab-09842
<b>Isotype</b>	IgG
<b>Reactivity</b>	Human;Rat;Mouse;
<b>Applications</b>	WB
<b>Gene Name</b>	QRICH2
<b>Protein Name</b>	Glutamine-rich protein 2
<b>Immunogen</b>	Synthesized peptide derived from human QRIC2 AA range: 1251-1301
<b>Specificity</b>	This antibody detects endogenous levels of human QRIC2
<b>Formulation</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source</b>	Polyclonal, Rabbit,IgG
<b>Purification</b>	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
<b>Dilution</b>	WB 1:1000-2000
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	≥90%
<b>Storage Stability</b>	-20°C/1 year
<b>Synonyms</b>	
<b>Observed Band</b>	
<b>Cell Pathway</b>	Nucleus membrane . Nucleus . Cytoplasm . Cell projection, cilium, flagellum . Localization varies during spermatozoa development. The protein is distributed in the nuclear membrane of the spermatogonia, in the nucleus of round spermatids, in the nucleus and cytoplasm of early elongating spermatids, in the cytoplasm of late elongating spermatids, and in the flagella of epididymal spermatozoa. .
<b>Tissue Specificity</b>	Expressed in the sperm.
<b>Function</b>	
<b>Background</b>	
<b>matters needing attention</b>	Avoid repeated freezing and thawing!
<b>Usage suggestions</b>	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.



## Products Images