



# SLAP2 rabbit pAb

<b>Catalog No</b>	YP-Ab-10081
<b>Isotype</b>	IgG
<b>Reactivity</b>	Human;Mouse
<b>Applications</b>	WB
<b>Gene Name</b>	SLA2 C20orf156 SLAP2
<b>Protein Name</b>	Src-like-adapter 2 (Modulator of antigen receptor signaling) (MARS) (Src-like adapter protein 2) (SLAP-2)
<b>Immunogen</b>	Synthesized peptide derived from human SLAP2 AA range: 159-209
<b>Specificity</b>	This antibody detects endogenous levels of human SLAP2
<b>Formulation</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source</b>	Polyclonal, Rabbit,IgG
<b>Purification</b>	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
<b>Dilution</b>	WB 1:1000-2000
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	≥90%
<b>Storage Stability</b>	-20°C/1 year
<b>Synonyms</b>	
<b>Observed Band</b>	
<b>Cell Pathway</b>	Cytoplasm.; [Isoform 1]: Cell membrane. Cytoplasmic vesicle. Localized to the plasma membrane and intracellular vesicles, including late endosomal vesicles.; [Isoform 2]: Cytoplasm . May be cytoplasmic and is not localized to membranes.
<b>Tissue Specificity</b>	Predominantly expressed in immune system, with highest levels in peripheral blood leukocytes. Expressed in spleen, thymus and lymph nodes. Expressed in T-cells as well as in monocytes, and at low level in B-cells. Also detected in placenta, prostate, skin, retina and colon.
<b>Function</b>	
<b>Background</b>	
<b>matters needing attention</b>	Avoid repeated freezing and thawing!
<b>Usage suggestions</b>	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.



## Products Images