

(Tel: 400-999-8863 **(** Emall:Upingbio.163.com





NDST3 rabbit pAb

Catalog No	YP-Ab-10266
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB
Gene Name	NDST3 HSST3 UNQ2544/PRO4998
Protein Name	Bifunctional heparan sulfate N-deacetylase/N-sulfotransferase 3 (EC 2.8.2.8) (Glucosaminyl N-deacetylase/N-sulfotransferase 3) (NDST-3) (hNDST-3) (N-heparan sulfate sulfotransferase 3) (N-HSST 3) [Inc
Immunogen	Synthesized peptide derived from human NDST3 AA range: 132-182
Specificity	This antibody detects endogenous levels of human NDST3
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1:1000-2000
Concentration	1 mg/ml
Purity	≥90%
. anty	
Storage Stability	-20°C/1 year
Storage Stability	
Storage Stability Synonyms	
Storage Stability Synonyms Observed Band	-20°C/1 year
Storage Stability Synonyms Observed Band Cell Pathway	-20°C/1 year Golgi apparatus membrane ; Single-pass type II membrane protein . Expressed in brain, kidney, liver, fetal and adult lung, adult pancreas, placenta, fetal spleen and fetal thymus. Not detected in adult/ fetal heart and skeletal
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	-20°C/1 year Golgi apparatus membrane ; Single-pass type II membrane protein . Expressed in brain, kidney, liver, fetal and adult lung, adult pancreas, placenta, fetal spleen and fetal thymus. Not detected in adult/ fetal heart and skeletal
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	-20°C/1 year Golgi apparatus membrane ; Single-pass type II membrane protein . Expressed in brain, kidney, liver, fetal and adult lung, adult pancreas, placenta, fetal spleen and fetal thymus. Not detected in adult/ fetal heart and skeletal
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	-20°C/1 year Golgi apparatus membrane ; Single-pass type II membrane protein . Expressed in brain, kidney, liver, fetal and adult lung, adult pancreas, placenta, fetal spleen and fetal thymus. Not detected in adult/ fetal heart and skeletal muscle.



UpingBio technology Co.,Ltd

(Tel: 400-999-8863 **(** Emall:Upingbio.163.com



Products Images			