








SMBT2 rabbit pAb


Catalog No	YP-Ab-11275
Isotype	IgG
Reactivity	Human; Mouse
Applications	WB;IHC
Gene Name	SFMBT2 KIAA1617
Protein Name	SMBT2
Immunogen	Synthesized peptide derived from human SMBT2 AA range: 156-206
Specificity	This antibody detects endogenous levels of SMBT2 at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1:500-2000;IHC-p 1:50-300
Concentration	1 mg/ml
Concentration	U
Purity	≥90%
	-
Purity	≥90%
Purity Storage Stability	≥90%
Purity Storage Stability Synonyms	≥90%
Purity Storage Stability Synonyms Observed Band	≥90% -20°C/1 year
Purity Storage Stability Synonyms Observed Band Cell Pathway	≥90% -20°C/1 year
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	≥90% -20°C/1 year Nucleus . similarity:Contains 1 SAM (sterile alpha motif) domain.,similarity:Contains 4 MBT
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	≥90% -20°C/1 year Nucleus . similarity:Contains 1 SAM (sterile alpha motif) domain.,similarity:Contains 4 MBT
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	≥90% -20°C/1 year Nucleus . similarity:Contains 1 SAM (sterile alpha motif) domain.,similarity:Contains 4 MBT repeats.,



Products Images



Western blot analysis of lysates from HpeG2 cells, primary antibody was diluted at 1:1000, 4° over night



Immunohistochemical analysis of paraffin-embedded human liver cancer. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).