








CCDC7 rabbit pAb

Catalog No	YP-Ab-11315
Isotype	IgG
Reactivity	Human; Mouse
Applications	WB
Gene Name	CCDC7 BIOT2
Protein Name	CCDC7
Immunogen	Synthesized peptide derived from human CCDC7 AA range: 380-430
Specificity	This antibody detects endogenous levels of CCDC7 at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1: 500-2000
Concentration	1 mg/ml
Concentration Purity	1 mg/ml ≥90%
	-
Purity	≥90%
Purity Storage Stability	≥90%
Purity Storage Stability Synonyms	≥90%
Purity Storage Stability Synonyms Observed Band	≥90%
Purity Storage Stability Synonyms Observed Band Cell Pathway	≥90% -20°C/1 year Expressed in epithelium of normal cervix and cervical cancer. Overexpressed in
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	≥90% -20°C/1 year Expressed in epithelium of normal cervix and cervical cancer. Overexpressed in
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	≥90% -20°C/1 year Expressed in epithelium of normal cervix and cervical cancer. Overexpressed in
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	≥90% -20°C/1 year Expressed in epithelium of normal cervix and cervical cancer. Overexpressed in early and interim cervical cancer.



Products Images



Western blot analysis of lysates from HEK293 cells, primary antibody was diluted at 1:1000, 4° over night