


## S38A7 rabbit pAb

Catalog No	YP-Ab-11422
Isotype	IgG
Reactivity	Human; Mouse;Rat
Applications	WB
Gene Name	SLC38A7 SNAT7
Protein Name	S38A7
Immunogen	Synthesized peptide derived from human S38A7 AA range: 209-259
Specificity	This antibody detects endogenous levels of S38A7 at Human/Mouse/Rat
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1: 500-2000
Concentration	1 mg/ml
Purity	1 mg/ml ≥90%
	•
Purity	≥90%
Purity Storage Stability	≥90%
Purity Storage Stability Synonyms	≥90%
Purity Storage Stability Synonyms Observed Band	≥90% -20°C/1 year  Membrane ; Multi-pass membrane protein . In neurons, located in soma and
Purity Storage Stability Synonyms Observed Band Cell Pathway	≥90% -20°C/1 year  Membrane ; Multi-pass membrane protein . In neurons, located in soma and
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	≥90%  -20°C/1 year  Membrane ; Multi-pass membrane protein . In neurons, located in soma and axons  function:Putative sodium-dependent amino acid/proton
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	≥90%  -20°C/1 year  Membrane ; Multi-pass membrane protein . In neurons, located in soma and axons  function:Putative sodium-dependent amino acid/proton
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	≥90%  -20°C/1 year  Membrane ; Multi-pass membrane protein . In neurons, located in soma and axons  function:Putative sodium-dependent amino acid/proton antiporter.,similarity:Belongs to the amino acid/polyamine transporter 2 family.,



## **Products Images**



Western blot analysis of lysates from CACO2 cells, primary antibody was diluted at 1:1000, 4° over night