







## VIGLN rabbit pAb

Catalog No	YP-Ab-11596
Isotype	IgG
Reactivity	Human; Mouse;Rat
Applications	WB
Gene Name	HDLBP HBP VGL
Protein Name	VIGLN
Immunogen	Synthesized peptide derived from human VIGLN AA range: 370-420
Specificity	This antibody detects endogenous levels of VIGLN at Human/Mouse/Rat
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1: 500-2000
Concentration	1 mg/ml
Purity	≥90%
Purity Storage Stability	≥90% -20°C/1 year
Storage Stability	
Storage Stability Synonyms	
Storage Stability Synonyms Observed Band	-20°C/1 year
Storage Stability Synonyms Observed Band Cell Pathway	-20°C/1 year  Cytoplasm . Nucleus .
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	-20°C/1 year  Cytoplasm . Nucleus .  function:Appears to play a role in cell sterol metabolism. It may function to protect cells from over-accumulation of cholesterol.,similarity:Contains 10 KH domains.,similarity:Contains 11 KH domains.,similarity:Contains 14 KH domains.,similarity:Contains 3 KH domains.,similarity:Contains 6 KH
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	-20°C/1 year  Cytoplasm . Nucleus .  function:Appears to play a role in cell sterol metabolism. It may function to protect cells from over-accumulation of cholesterol.,similarity:Contains 10 KH domains.,similarity:Contains 11 KH domains.,similarity:Contains 14 KH domains.,similarity:Contains 3 KH domains.,similarity:Contains 6 KH domains.,similarity:Contains 7 KH domains.,  The protein encoded by this gene binds high density lipoprotein (HDL) and may function to regulate excess cholesterol levels in cells. The encoded protein also binds RNA and can induce heterochromatin formation. [provided by RefSeq, Mar



## UpingBio technology Co.,Ltd


C Tel: 400-999-8863 ■ Email:UpingBio@163.com



**Usage suggestions** 

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## **Products Images**



Western blot analysis of lysates from Jarkat cells, primary antibody was diluted at 1:1000, 4°over night