





RCOR3 rabbit pAb


Catalog No	YP-Ab-11810
Isotype	IgG
Reactivity	Human; Mouse
Applications	WB;IHC
Gene Name	RCOR3 KIAA1343
Protein Name	RCOR3
Immunogen	Synthesized peptide derived from human RCOR3 AA range: 318-368
Specificity	This antibody detects endogenous levels of RCOR3 at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1:500-2000;IHC-p 1:50-300
Concentration	1 mg/ml
Purity	≥90%
Purity Storage Stability	≥90% -20°C/1 year
Storage Stability	
Storage Stability Synonyms	
Storage Stability Synonyms Observed Band	-20°C/1 year
Storage Stability Synonyms Observed Band Cell Pathway	-20°C/1 year
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	-20°C/1 year Nucleus . function:May act as a component of a corepressor complex that represses transcriptionsimilarity:Belongs to the CoREST familysimilarity:Contains 1
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	-20°C/1 year Nucleus . function:May act as a component of a corepressor complex that represses transcriptionsimilarity:Belongs to the CoREST familysimilarity:Contains 1
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	-20°C/1 year Nucleus . function:May act as a component of a corepressor complex that represses transcription .,similarity:Belongs to the CoREST family.,similarity:Contains 1 ELM2 domain.,similarity:Contains 2 SANT domains.,







Products Images



Western blot analysis of lysates from KB cells, primary antibody was diluted at 1:1000, 4°over night



Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).