







HMN2 rabbit pAb

Catalog No	YP-Ab-11908
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	IHC;IF
Gene Name	MTRNR2L2
Protein Name	HMN2
Immunogen	Synthesized peptide derived from human HMN2 AA range: 1-24
Specificity	This antibody detects endogenous levels of HMN2 at Human
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	IHC-p 1: 50-200. IF 1:50-200
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Storage Stability Synonyms	-20°C/1 year
	-20°C/1 year
Synonyms	-20°C/1 year Secreted . Cytoplasm .
Synonyms Observed Band	
Synonyms Observed Band Cell Pathway	Secreted . Cytoplasm . Highly expressed in testis. Also expressed in kidney, heart, skeletal muscles and
Synonyms Observed Band Cell Pathway Tissue Specificity	Secreted . Cytoplasm . Highly expressed in testis. Also expressed in kidney, heart, skeletal muscles and
Synonyms Observed Band Cell Pathway Tissue Specificity Function	Secreted . Cytoplasm . Highly expressed in testis. Also expressed in kidney, heart, skeletal muscles and
Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	Secreted . Cytoplasm . Highly expressed in testis. Also expressed in kidney, heart, skeletal muscles and brain.




UpingBio technology Co.,Ltd







Products Images



Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3, Secondary antibody was diluted at 1:200(room temperature, 30min).