





## KCMF1 rabbit pAb

| Catalog No                | YP-Ab-11926  |
|---------------------------|--|
| Isotype                   | IgG  |
| Reactivity                | Human; Mouse   |
| Applications              | WB   |
| Gene Name                 | KCMF1 FIGC ZZZ1  |
| Protein Name              | KCMF1  |
| Immunogen                 | Synthesized peptide derived from human KCMF1 AA range: 126-176   |
| Specificity               | This antibody detects endogenous levels of KCMF1 at Human/Mouse  |
| Formulation               | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  |
| Source                    | Polyclonal, Rabbit,IgG   |
| Purification              | The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.  |
| Dilution                  | WB 1: 500-2000   |
| Concentration             | 1 mg/ml  |
| Purity                    | ≥90%   |
| Storage Stability         | -20°C/1 year   |
| Synonyms                  |  |
| Observed Band             |  |
| Cell Pathway              |  |
| Tissue Specificity        | Spleen, small intestine, ovary, peripheral blood, lung, kidney and pancreas. Expressed at low levels in the thymus, prostate, testis, colon, heart, brain, placenta and liver.   |
| Function                  | function:Has intrinsic E3 ubiquitin ligase activity and promotes ubiquitination.,induction:Up-regulated by basic fibroblast growth factor (bFGF) in gastric cancer cells.,similarity:Belongs to the KCMF1 family.,similarity:Contains 1 C2H2-type zinc finger.,similarity:Contains 1 ZZ-type zinc finger.,tissue specificity:Spleen, small intestine, ovary, peripheral blood, lung, kidney and pancreas. Expressed at low levels in the thymus, prostate, testis, colon, heart, brain, placenta and liver., |
| Background                |  |
| matters needing attention | Avoid repeated freezing and thawing!   |
|                           |  |



## UpingBio technology Co.,Ltd


C Tel: 400-999-8863 ■ Email:UpingBio@163.com



**Usage suggestions** 

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## **Products Images**



Western blot analysis of lysates from MCF-7 cells, primary antibody was diluted at 1:1000, 4° over night