


ZDBF2 rabbit pAb

Catalog No	YP-Ab-12101
Isotype	IgG
Reactivity	Human; Mouse
Applications	WB
Gene Name	ZDBF2 KIAA1571
Protein Name	ZDBF2
Immunogen	Synthesized peptide derived from human ZDBF2 AA range: 919-969
Specificity	This antibody detects endogenous levels of ZDBF2 at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1: 500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	
Cell Pathway	
Cell Pathway	similarity:Contains 1 DBF4-type zinc finger.,
Cell Pathway Tissue Specificity	similarity:Contains 1 DBF4-type zinc finger., This gene encodes a protein containing DBF4-type zinc finger domains. This gene is imprinted and paternally expressed in lymphocytes but is more stochastically expressed in the placenta. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Nov 2015],
Cell Pathway Tissue Specificity Function	This gene encodes a protein containing DBF4-type zinc finger domains. This gene is imprinted and paternally expressed in lymphocytes but is more stochastically expressed in the placenta. Alternative splicing results in multiple transcript
Cell Pathway Tissue Specificity Function Background matters needing	This gene encodes a protein containing DBF4-type zinc finger domains. This gene is imprinted and paternally expressed in lymphocytes but is more stochastically expressed in the placenta. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Nov 2015],



Products Images



Western blot analysis of lysates from U2OS cells, primary antibody was diluted at 1:1000, 4° over night