


## PALMD rabbit pAb

Catalog No	YP-Ab-12118
Isotype	IgG
Reactivity	Human; Mouse;Rat
Applications	WB
Gene Name	PALMD C1orf11 PALML
Protein Name	PALMD
Immunogen	Synthesized peptide derived from human PALMD AA range: 4-54
Specificity	This antibody detects endogenous levels of PALMD at Human/Mouse/Rat
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1: 500-2000
Concentration	1 mg/ml
Purity	≥90%
	-
Purity	≥90%
Purity Storage Stability	≥90%
Purity Storage Stability Synonyms	≥90%
Purity Storage Stability Synonyms Observed Band	≥90% -20°C/1 year
Purity Storage Stability Synonyms Observed Band Cell Pathway	≥90% -20°C/1 year  Cytoplasm . Cell projection, dendrite . Cell projection, dendritic spine .
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	≥90%  -20°C/1 year  Cytoplasm . Cell projection, dendrite . Cell projection, dendritic spine .  Ubiquitous. Most abundant in cardiac and skeletal muscle.  sequence caution:Contaminating sequence. Potential poly-A sequence.,similarity:Belongs to the paralemmin family.,tissue
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	≥90%  -20°C/1 year  Cytoplasm . Cell projection, dendrite . Cell projection, dendritic spine .  Ubiquitous. Most abundant in cardiac and skeletal muscle.  sequence caution:Contaminating sequence. Potential poly-A sequence.,similarity:Belongs to the paralemmin family.,tissue
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	≥90%  -20°C/1 year  Cytoplasm . Cell projection, dendrite . Cell projection, dendritic spine .  Ubiquitous. Most abundant in cardiac and skeletal muscle.  sequence caution:Contaminating sequence. Potential poly-A sequence.,similarity:Belongs to the paralemmin family.,tissue specificity:Ubiquitous. Most abundant in cardiac and skeletal muscle.,



## **Products Images**



Western blot analysis of lysates from CACO2 cells, primary antibody was diluted at 1:1000, 4° over night