

📞 Tel: 400-999-8863 🗷 Emall:Upingbio.163.com



Lamin B1 Monoclonal Antibody(7C11), AbFluor™ 555 Conjugated

Catalog No	YP-Ab-04618	
Isotype	IgG	
Reactivity	Human;Rat;Mouse	
Applications	WB;IHC;IF;IP	
Gene Name	LMNB1	
Protein Name	Lamin-B1	
Immunogen		
Specificity	Lamin B1 Monoclonal Antibody(7C11) AbFluor™ 555 Conjugated specially designed for your Immunofluorescence analysis.	
Formulation	Liquid in PBS, pH 7.4, containing 0.02% sodium azide as preservative and 50% Glycerol.	
Source	Monoclonal, Mouse IgG	
Purification	The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen.	
Dilution	Optimal working dilutions should be determined experimentally by the investigator. Suggested starting dilutions are as follows: IHC 1:50-300, IF 1:200.	
Concentration	1 mg/ml	
Purity	≥90%	
Storage Stability	-20°C/1 year	
Synonyms	LMNB1	
Observed Band		
Cell Pathway	Nucleus lamina .	
Tissue Specificity	Brain,Cajal-Retzius cell,Epithelium,Eye,Fetal brain cortex,Ovarian carcinoma,Placenta,Uterus,	
Function	disease:Defects in LMNB1 are the cause of leukodystrophy demyelinating autosomal dominant adult-onset (ADLD) [MIM:169500]. ADLD is a slowly progressive and fatal demyelinating leukodystrophy, presenting in the fourth or fifth decade of life. Clinically characterized by early autonomic abnormalities, pyramidal and cerebellar dysfunction, and symmetric demyelination of the CNS. It differs from multiple sclerosis and other demyelinating disorders in that neuropathology shows preservation of oligodendroglia in the presence of subtotal demyelination and lack of astrogliosis.,function:Lamins are components of the nuclear lamina, a fibrous layer on the nucleoplasmic side of the inner nuclear membrane, which is thought to provide a framework for the nuclear envelope and may also interact with chromatin.,miscellaneous:The structural integrity of the	



UpingBio technology Co.,Ltd





lamina is strictly controlled by the cell cycle

Background	lamin B1(LMNB1) Homo sapiens This gene encodes one of the two B-type lamin proteins and is a component of the nuclear lamina. A duplication of this gene is associated with autosomal dominant adult-onset leukodystrophy (ADLD). Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2015],	
matters needing attention	Avoid repeated freezing and thawing!	
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.	

Pro	ducts Images