



## His Tag Mouse mAb (HRP)

<b>Catalog No</b>	YP-Ab-17699
<b>Isotype</b>	IgG
<b>Alternative Names</b>	6 His epitope tag; Hexa His tag; HHHHHH epitope tag; HHHHHH tag; His tag
<b>Research Field</b>	Tags & Cell Markers
<b>Product Categories</b>	Tag antibody
<b>Host</b>	Mouse
<b>Reactivity</b>	Species-independent
<b>Application</b>	WB
<b>Dilution Ratio</b>	WB: 1/1000-1/10000
<b>Molecular Weight</b>	Refer to figures
<b>Clonality</b>	Monoclonal Antibody
<b>Immunogen</b>	This His Tag antibody is generated from a mouse immunized with recombinant protein.
<b>Purification</b>	Affinity Purified
<b>Conjugation</b>	HRP
<b>Modification</b>	Unmodified
<b>Form</b>	Liquid
<b>Buffer System</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	≥90%
<b>Storage Stability</b>	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
<b>Background</b>	A polyhistidine-tag is an amino acid motif in proteins that consists of at least five histidine (His) residues, often at the N- or C-terminus of the protein. It is also known as hexa histidine-tag, 6xHis-tag, and by the trademarked name His-tag. Polyhistidine-tags are often used for affinity purification of polyhistidine-tagged recombinant proteins expressed in Escherichia coli and other prokaryotic expression systems.
<b>matters needing attention</b>	Avoid repeated freezing and thawing!
<b>Usage suggestions</b>	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.



## Products Images

