



HSP76 Monoclonal Antibody

Catalog No	YP-mAb-05080
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB
Gene Name	HSPA6 HSP70B'
Protein Name	Heat shock 70 kDa protein 6 (Heat shock 70 kDa protein B')
Immunogen	Synthesized peptide derived from human protein . at AA range: 200-280
Specificity	HSP76 Monoclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	70kD
Cell Pathway	cytoplasm,centriole,cytosol,COP9 signalosome,extracellular exosome,blood microparticle,
Tissue Specificity	Cerebellum,Lung,Ovary,Skin,
Function	caution:Could be the product of a pseudogene.,function:In cooperation with other chaperones, Hsp70s stabilize preexistent proteins against aggregation and mediate the folding of newly translated polypeptides in the cytosol as well as within organelles. These chaperones participate in all these processes through their ability to recognize nonnative conformations of other proteins. They bind extended peptide segments with a net hydrophobic character exposed by polypeptides during translation and membrane translocation, or following stress-induced damage.,induction:Only at higher temperatures, and no basal expression.,similarity:Belongs to the heat shock protein 70 family.,
Background	caution:Could be the product of a pseudogene.,function:In cooperation with other chaperones, Hsp70s stabilize preexistent proteins against aggregation and mediate the folding of newly translated polypeptides in the cytosol as well as within organelles. These chaperones participate in all these processes through their ability to recognize nonnative conformations of other proteins. They bind extended peptide segments with a net hydrophobic character exposed by



polypeptides during translation and membrane translocation, or following stress-induced damage.,induction:Only at higher temperatures, and no basal expression.,similarity:Belongs to the heat shock protein 70 family.,

matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images