

NLGN2 Monoclonal Antibody

Catalog No	YP-mAb-05839
Isotype	IgG
Reactivity	Human;Rat;Mouse
Applications	WB
Gene Name	NLGN2 KIAA1366
Protein Name	Neuroligin-2
Immunogen	Synthesized peptide derived from human protein . at AA range: 310-390
Specificity	NLGN2 Monoclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	91kD
Cell Pathway	Cell membrane; Single-pass type I membrane protein. Cell junction, synapse, postsynaptic cell membrane. Cell junction, synapse, presynaptic cell membrane. Detected at postsynaptic membranes in brain. Detected at dendritic spines in cultured neurons. Colocalizes with GPHN and ARHGEF9 at neuronal cell membranes (By similarity). Localized at presynaptic membranes in retina. Colocalizes with GABRG2 at inhibitory synapses in the retina (By similarity).
Tissue Specificity	Expressed in the blood vessel walls. Detected in colon, brain and pancreas islets of Langerhans (at protein level). Detected in brain, and at lower levels in pancreas islet beta cells.
Function	function:Neuronal cell surface protein thought to be involved in cell-cell-interactions by forming intercellular junctions through binding to beta-neurexins. Seems to play role in formation or maintenance of synaptic junctions. In vitro, triggers the de novo formation of presynaptic structures.,similarity:Belongs to the type-B carboxylesterase/lipase family.,subunit:Interacts with neurexin 1-beta, neurexin 2-beta and neurexin 3-beta. Interacts with INADL (By similarity). Probably interacts through its C-terminus with DLG4 third PDZ domain.,



UpingBio technology Co.,Ltd





Background	This gene encodes a member of a family of neuronal cell surface proteins. Members of this family may act as splice site-specific ligands for beta-neurexins and may be involved in the formation and remodeling of central nervous system synapses. [provided by RefSeq, Jul 2008],
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images