



NETO2 Monoclonal Antibody

Catalog No	YP-mAb-05853
Isotype	IgG
Reactivity	Human;Rat;Mouse
Applications	WB
Gene Name	NETO2 BTCL2 UNQ1926/PRO4401
Protein Name	Neuropilin and tolloid-like protein 2 (Brain-specific transmembrane protein containing 2 CUB and 1 LDL-receptor class A domains protein 2)
Immunogen	Synthesized peptide derived from human protein . at AA range: 140-220
Specificity	NETO2 Monoclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	57kD
Cell Pathway	Membrane ; Single-pass type I membrane protein .
Tissue Specificity	Brain,Ovary,Skin,
Function	function:May play a role in the development and/or maintenance of neuronal circuitry.,similarity:Contains 1 LDL-receptor class A domain.,similarity:Contains 2 CUB domains.,
Background	This gene encodes a predicted transmembrane protein containing two extracellular CUB domains followed by a low-density lipoprotein class A (LDLa) domain. A similar gene in rats encodes a protein that modulates glutamate signaling in the brain by regulating kainate receptor function. Expression of this gene may be a biomarker for proliferating infantile hemangiomas. A pseudogene of this gene is located on the long arm of chromosome 8. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Jan 2011],
matters needing attention	Avoid repeated freezing and thawing!

**Usage suggestions**

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images