





POTEE Monoclonal Antibody

| Catalog No | YP-mAb-05978 |
|---------------------------|--|
| Isotype | IgG |
| Reactivity | Human;Rat;Mouse; |
| Applications | WB |
| Gene Name | POTEE A26C1A POTE2 |
| Protein Name | POTE ankyrin domain family member E (ANKRD26-like family C member 1A) (Prostate, ovary, testis-expressed protein on chromosome 2) (POTE-2) |
| Immunogen | Synthesized peptide derived from human protein . at AA range: 350-430 |
| Specificity | POTEE Monoclonal Antibody detects endogenous levels of protein. |
| Formulation | Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. |
| Source | Monoclonal, Mouse,lgG |
| Purification | The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | WB 1:500-1:2000 |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | |
| Observed Band | 118kD |
| Cell Pathway | extracellular space, extracellular exosome, blood microparticle, |
| Tissue Specificity | Hepatocellular carcinoma,Prostate, |
| Function | similarity:Belongs to the actin family.,similarity:Contains 5 ANK repeats.,similarity:In the C-terminal section; belongs to the actin family.,similarity:In the N-terminal section; belongs to the POTE family., |
| Background | similarity:Belongs to the actin family.,similarity:Contains 5 ANK repeats.,similarity:In the C-terminal section; belongs to the actin family.,similarity:In the N-terminal section; belongs to the POTE family., |
| matters needing attention | Avoid repeated freezing and thawing! |
| Usage suggestions | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel. |
| | |



UpingBio technology Co.,Ltd





Products Images