



PAR12 Monoclonal Antibody

Catalog No	YP-mAb-06995
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB
Gene Name	PARP12 ZC3HDC1
Protein Name	Poly [ADP-ribose] polymerase 12 (PARP-12) (EC 2.4.2.30) (ADP-ribosyltransferase diphtheria toxin-like 12) (ARTD12) (Zinc finger CCCH domain-containing protein 1)
Immunogen	Synthesized peptide derived from part region of human protein
Specificity	PAR12 Monoclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	77kD
Cell Pathway	Nucleus .
Tissue Specificity	Normal heart,Small intestine,Testis,
Function	catalytic activity:NAD(+) + (ADP-D-ribosyl)(n)-acceptor = nicotinamide + (ADP-D-ribosyl)(n+1)-acceptor.,similarity:Contains 1 PARP catalytic domain.,similarity:Contains 2 WWE domains.,similarity:Contains 4 C3H1-type zinc fingers.,
Background	catalytic activity:NAD(+) + (ADP-D-ribosyl)(n)-acceptor = nicotinamide + (ADP-D-ribosyl)(n+1)-acceptor.,similarity:Contains 1 PARP catalytic domain.,similarity:Contains 2 WWE domains.,similarity:Contains 4 C3H1-type zinc fingers.,
matters needing attention	Avoid repeated freezing and thawing!

**Usage suggestions**

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images