

CSMD3 mouse mAb

Catalog No	YP-mAb-09537
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB
Gene Name	CSMD3 KIAA1894
Protein Name	CUB and sushi domain-containing protein 3 (CUB and sushi multiple domains protein 3)
Immunogen	Synthesized peptide derived from human CSMD3 AA range: 1623-1673
Specificity	This antibody detects endogenous levels of human CSMD3
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Concentration Purity	1 mg/ml ≥90%
	•
Purity	≥90%
Purity Storage Stability	≥90%
Purity Storage Stability Synonyms	≥90%
Purity Storage Stability Synonyms Observed Band	≥90% -20°C/1 year
Purity Storage Stability Synonyms Observed Band Cell Pathway	≥90% -20°C/1 year Cell membrane ; Multi-pass membrane protein . Weakly expressed in most tissues, except in brain. Expressed at intermediate level in brain, including cerebellum, substantia nigra, thalamus, spinal cord,
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	≥90% -20°C/1 year Cell membrane ; Multi-pass membrane protein . Weakly expressed in most tissues, except in brain. Expressed at intermediate level in brain, including cerebellum, substantia nigra, thalamus, spinal cord,
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	≥90% -20°C/1 year Cell membrane ; Multi-pass membrane protein . Weakly expressed in most tissues, except in brain. Expressed at intermediate level in brain, including cerebellum, substantia nigra, thalamus, spinal cord,
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	≥90% -20°C/1 year Cell membrane ; Multi-pass membrane protein . Weakly expressed in most tissues, except in brain. Expressed at intermediate level in brain, including cerebellum, substantia nigra, thalamus, spinal cord, hippocampus and fetal brain. Also expressed in testis.



UpingBio technology Co.,Ltd





Products Images