

DOCK9 mouse mAb

| Catalog No | YP-mAb-09894 |
|--|---|
| Isotype | IgG |
| Reactivity | Human;Mouse;Rat |
| Applications | WB |
| Gene Name | DOCK9 KIAA1058 |
| Protein Name | Dedicator of cytokinesis protein 9 (Cdc42 guanine nucleotide exchange factor zizimin-1) |
| Immunogen | Synthesized peptide derived from human DOCK9 AA range: 1516-1566 |
| Specificity | This antibody detects endogenous levels of human DOCK9 |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source | Monoclonal, Mouse,IgG |
| Purification | The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | WB 1:500-1:2000 |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | |
| Observed Band | |
| Cell Pathway | |
| oen i aniway | Endomembrane system . Associated with membranes |
| Tissue Specificity | Endomembrane system . Associated with membranes Widely expressed, with highest expression in heart and placenta. Expressed at intermediate level in kidney, brain, lung and skeletal muscle. |
| - | Widely expressed, with highest expression in heart and placenta. Expressed at |
| Tissue Specificity | Widely expressed, with highest expression in heart and placenta. Expressed at |
| Tissue Specificity Function | Widely expressed, with highest expression in heart and placenta. Expressed at |
| Tissue Specificity Function Background matters needing | Widely expressed, with highest expression in heart and placenta. Expressed at intermediate level in kidney, brain, lung and skeletal muscle. |



UpingBio technology Co.,Ltd





Products Images