







SURF4 mouse mAb

Reactivity Human; Mouse Applications WB Gene Name SURF4 SURF-4 Protein Name Surfeit locus protein 4 Immunogen Synthesized peptide derived from human SURF4 Specificity This antibody detects endogenous levels of SURF4 at Human, Mouse Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-1:2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 30kD Cell Pathway Endoplasmic reticulum membrane; Multi-pass membrane protein . Endoplasmic reticulum-Golgi intermediate compartment membrane; Multi-pass membrane protein . Cycles between the endoplasmic reticulum and the Golgi Tissue Specificity		
Reactivity Human; Mouse Applications WB Gene Name SURF4 SURF-4 Protein Name Surfeit locus protein 4 Immunogen Synthesized peptide derived from human SURF4 Specificity This antibody detects endogenous levels of SURF4 at Human, Mouse Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-1:2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 30kD Cell Pathway Endoplasmic reticulum membrane; Multi-pass membrane protein. Endoplasmic reticulum-Golgi intermediate compartment membrane; Multi-pass membrane protein. Golgi apparatus membrane; Multi-pass membrane protein. Cycles between the endoplasmic reticulum and the Golgi. Tissue Specificity Function Endoplasmic reticulum cargo receptor that mediates the export of lipoproteins by recruiting cargos into COPII vesicles to facilitate their secretion. Acts as a cargo receptor of pilpoproteins bearing both APOB and APOA1, thereby regulating lipoprotein delivery and the maintenance of flipid homeostasis. Synergizes with the GTPass SAR fl B to mediate transport of circulating lipoproteins Promotes the secretion of PCSK9. Also mediates the efficient secretion of erythropoietin (EPO). May also play a role in the maintenance of the architecture of the endoplasmic reticulum-Golgi intermediate compartment and of the Golgi.	Catalog No	YP-mAb-18006
Applications Gene Name SURF4 SURF-4 Protein Name Surfeit locus protein 4 Immunogen Synthesized peptide derived from human SURF4 Specificity This antibody detects endogenous levels of SURF4 at Human, Mouse Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-1:2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 30kD Cell Pathway Endoplasmic reticulum membrane; Multi-pass membrane protein. Endoplasmic reticulum-Golgi intermediate compartment membrane; Multi-pass membrane protein. Cycles between the endoplasmic reticulum and the Golgi. Tissue Specificity Function Endoplasmic reticulum cargo receptor that mediates the export of lipoproteins by recruiting cargos into COPII vesicles to facilitate their secretion. Acts as a cargo receptor to IPOPT of the Policy and APOA1, thereby regulating lipoprotein delivery and the maintenance of lipid homeostasis. Synergizes with the GTPass SAR/fB to mediate transport of circulating lipoproteins Promotes the secretion of PCSK9. Also mediates the efficient secretion of erythropoietin (EPO). May also play a role in the maintenance of the architecture of the endoplasmic reticulum-Golgi intermediate compartment and of the Golgi.	Isotype	IgG
Gene Name SURF4 SURF-4 Protein Name Surfeit locus protein 4 Immunogen Synthesized peptide derived from human SURF4 Specificity This antibody detects endogenous levels of SURF4 at Human, Mouse Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-1:2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 30kD Cell Pathway Endoplasmic reticulum membrane : Multi-pass membrane protein . Endoplasmic reticulum - Golgi intermediate compartment membrane ; Multi-pass membrane protein . Golgi apparatus membrane membrane ; Multi-pass membrane protein . Cycles between the endoplasmic reticulum and the Golgi . Function Endoplasmic reticulum cargo receptor that mediates the export of lipoproteins bearing both APOB and APOA1, thereby regulating lipoprotein delivery and the maintenance of lipid homeostasis . Synergizes with the GTPase SAR1B to mediate transport of circulating lipoproteins . Promotes the secretion of PCSK9 . Also mediates the efficient secretion of erythropoietin (EPO) . May also play a role in the maintenance of the architecture of the en	Reactivity	Human;Mouse
Immunogen Synthesized peptide derived from human SURF4	Applications	WB
Immunogen Synthesized peptide derived from human SURF4 Specificity This antibody detects endogenous levels of SURF4 at Human, Mouse Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-1:2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Cell Pathway Cell Pathway Endoplasmic reticulum membrane ; Multi-pass membrane protein . Endoplasmic reticulum. Golgi intermediate compartment membrane ; Multi-pass membrane protein . Cycles between the endoplasmic reticulum and the Golgi . Tissue Specificity Endoplasmic reticulum cargo receptor that mediates the export of lipoproteins by recruiting cargos into COPII vesicles to facilitate their secretion . Acts as a cargo receptor for lipoproteins bearing both APOB and APOA1, thereby regulating lipoproteins of the maintenance of lipid homeostasis . Synergizes with the GTPase SAR18 to mediate transport of circulating lipoproteins . Synergizes with the GTPase SAR18 to mediate transport of circulating lipoproteins . Synergizes of the architecture of the endoplasmic reticulum-Golgi intermediate compartment and of the Golgi .	Gene Name	SURF4 SURF-4
Specificity This antibody detects endogenous levels of SURF4 at Human, Mouse Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-1:2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Cell Pathway Endoplasmic reticulum membrane; Multi-pass membrane protein. Endoplasmic reticulum-Golgi intermediate compartment membrane; Multi-pass membrane protein. Golgi apparatus membrane; Multi-pass membrane protein. Cycles between the endoplasmic reticulum and the Golgi. Tissue Specificity Endoplasmic reticulum cargo receptor that mediates the export of lipoproteins by recruiting cargos into COPII vesicles to facilitate their secretion. Acts as a cargo receptor for lipoproteins bearing both APOB and APOA1, thereby regulating lipoprotein delivery and the maintenance of lipid homeostasis. Synergizes with the GTPase SAR IB to mediate transport of circulating lipoprotein. Promotes the secretion of PCSK9. Also mediates the efficient secretion of erythropoietin (EPO). May also play a role in the maintenance of the architecture of the endoplasmic reticulum-Golgi intermediate compartment and of the Golgi .	Protein Name	Surfeit locus protein 4
Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-1:2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 30kD Cell Pathway Endoplasmic reticulum membrane; Multi-pass membrane protein. Endoplasmic reticulum-Golgi intermediate compartment membrane; Multi-pass membrane protein. Golgi apparatus membrane; Multi-pass membrane protein. Cycles between the endoplasmic reticulum and the Golgi. Tissue Specificity Function Endoplasmic reticulum cargo receptor that mediates the export of lipoproteins by recruiting cargos into COPII vesicles to facilitate their secretion. Acts as a cargo receptor for lipoprotein bearing both APOB and APOA1, thereby regulating lipoprotein delivery and the maintenance of lipid homeostasis. Synergizes with the GTPase SAR1B to mediates the efficient secretion of erythropoietin (EPO). May also play a role in the maintenance of the architecture of the endoplasmic reticulum-Golgi intermediate compartment and of the Golgi.	Immunogen	Synthesized peptide derived from human SURF4
Source Monoclonal, Mouse, IgG Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-1:2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 30kD Cell Pathway Endoplasmic reticulum membrane; Multi-pass membrane protein . Endoplasmic reticulum-Golgi intermediate compartment membrane; Multi-pass membrane protein . Cycles between the endoplasmic reticulum and the Golgi Tissue Specificity Endoplasmic reticulum cargo receptor that mediates the export of lipoproteins by recruiting cargos into COPII vesicles to facilitate their secretion . Acts as a cargo receptor for lipoproteins bearing both APOB and APOA1, thereby regulating lipoprotein delivery and the maintenance of lipid homeostasis . Synergizes with the GTPase SAR1B to mediate transport of circulating lipoproteins. Promotes the secretion of PCSK9 . Also mediates the efficient secretion of erythropoietin (EPO) . May also play a role in the maintenance of the architecture of the endoplasmic reticulum-Golgi intermediate compartment and of the Golgi .	Specificity	This antibody detects endogenous levels of SURF4 at Human, Mouse
Purification The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-1:2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 30kD Cell Pathway Endoplasmic reticulum membrane; Multi-pass membrane protein. Endoplasmic reticulum-Golgi intermediate compartment membrane; Multi-pass membrane protein. Golgi apparatus membrane; Multi-pass membrane protein. Cycles between the endoplasmic reticulum and the Golgi. Tissue Specificity Function Endoplasmic reticulum cargo receptor that mediates the export of lipoproteins by recruiting cargos into COPII vesicles to facilitate their secretion. Acts as a cargo receptor for lipoproteins bearing both APOB and APOA1, thereby regulating lipoprotein delivery and the maintenance of lipid homeostasis. Synergizes with the GTPase SAR1B to mediate transport of circulating lipoproteins. Promotes the secretion of PCSK9. Also mediates the efficient secretion of erythropoietin (EPO). May also play a role in the maintenance of the architecture of the endoplasmic reticulum-Golgi intermediate compartment and of the Golgi.	Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-1:2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 30kD Cell Pathway Endoplasmic reticulum membrane; Multi-pass membrane protein. Endoplasmic reticulum-Golgi intermediate compartment membrane; Multi-pass membrane protein. Golgi apparatus membrane; Multi-pass membrane protein. Cycles between the endoplasmic reticulum and the Golgi. Tissue Specificity Function Endoplasmic reticulum cargo receptor that mediates the export of lipoproteins by recruiting cargos into COPII vesicles to facilitate their secretion. Acts as a cargo receptor for lipoproteins bearing both APOB and APOA1, thereby regulating lipoprotein delivery and the maintenance of lipid homeostasis. Synergizes with the GTPase SAR1B to mediate transport of circulating lipoproteins. Promotes the secretion of PCSK9. Also mediates the efficient secretion of erythropoietin (EPO). May also play a role in the maintenance of the architecture of the endoplasmic reticulum-Golgi intermediate compartment and of the Golgi.	Source	Monoclonal, Mouse,lgG
Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 30kD Cell Pathway Endoplasmic reticulum membrane; Multi-pass membrane protein. Endoplasmic reticulum-Golgi intermediate compartment membrane; Multi-pass membrane protein. Golgi apparatus membrane; Multi-pass membrane protein. Cycles between the endoplasmic reticulum and the Golgi. Tissue Specificity Function Endoplasmic reticulum cargo receptor that mediates the export of lipoproteins by recruiting cargos into COPII vesicles to facilitate their secretion. Acts as a cargo receptor for lipoproteins bearing both APOB and APOA1, thereby regulating lipoprotein delivery and the maintenance of lipid homeostasis. Synergizes with the GTPase SAR1B to mediate transport of circulating lipoproteins. Promotes the secretion of PCSK9. Also mediates the efficient secretion of erythropoietin (EPO). May also play a role in the maintenance of the architecture of the endoplasmic reticulum-Golgi intermediate compartment and of the Golgi.	Purification	
Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 30kD Endoplasmic reticulum membrane ; Multi-pass membrane protein . Endoplasmic reticulum-Golgi intermediate compartment membrane ; Multi-pass membrane protein . Golgi apparatus membrane ; Multi-pass membrane protein . Cycles between the endoplasmic reticulum and the Golgi. Tissue Specificity Endoplasmic reticulum cargo receptor that mediates the export of lipoproteins by recruiting cargos into COPII vesicles to facilitate their secretion . Acts as a cargo receptor for lipoprotein bearing both APOB and APOA1, thereby regulating lipoprotein delivery and the maintenance of lipid homeostasis . Synergizes with the GTPase SAR1B to mediate transport of circulating lipoproteins . Promotes the secretion of PCSK9 . Also mediates the efficient secretion of erythropoietin (EPO) . May also play a role in the maintenance of the architecture of the endoplasmic reticulum-Golgi intermediate compartment and of the Golgi .	Dilution	WB 1:500-1:2000
Storage Stability -20°C/1 year Synonyms Observed Band 30kD Endoplasmic reticulum membrane; Multi-pass membrane protein. Endoplasmic reticulum-Golgi intermediate compartment membrane; Multi-pass membrane protein. Golgi apparatus membrane; Multi-pass membrane protein. Cycles between the endoplasmic reticulum and the Golgi. Tissue Specificity Function Endoplasmic reticulum cargo receptor that mediates the export of lipoproteins by recruiting cargos into COPII vesicles to facilitate their secretion. Acts as a cargo receptor for lipoproteins bearing both APOB and APOA1, thereby regulating lipoprotein delivery and the maintenance of lipid homeostasis. Synergizes with the GTPase SAR1B to mediate transport of circulating lipoproteins. Promotes the secretion of PCSK9. Also mediates the efficient secretion of erythropoietin (EPO). May also play a role in the maintenance of the architecture of the endoplasmic reticulum-Golgi intermediate compartment and of the Golgi.	Concentration	1 mg/ml
Observed Band Observed Band Endoplasmic reticulum membrane; Multi-pass membrane protein. Endoplasmic reticulum-Golgi intermediate compartment membrane; Multi-pass membrane protein. Golgi apparatus membrane; Multi-pass membrane protein. Cycles between the endoplasmic reticulum and the Golgi. Tissue Specificity Endoplasmic reticulum cargo receptor that mediates the export of lipoproteins by recruiting cargos into COPII vesicles to facilitate their secretion. Acts as a cargo receptor for lipoproteins bearing both APOB and APOA1, thereby regulating lipoprotein delivery and the maintenance of lipid homeostasis. Synergizes with the GTPase SAR1B to mediate transport of circulating lipoproteins. Promotes the secretion of PCSK9. Also mediates the efficient secretion of erythropoietin (EPO). May also play a role in the maintenance of the architecture of the endoplasmic reticulum-Golgi intermediate compartment and of the Golgi.	Purity	≥90%
Observed Band Cell Pathway Endoplasmic reticulum membrane; Multi-pass membrane protein. Endoplasmic reticulum-Golgi intermediate compartment membrane; Multi-pass membrane protein. Golgi apparatus membrane; Multi-pass membrane protein. Cycles between the endoplasmic reticulum and the Golgi. Tissue Specificity Function Endoplasmic reticulum cargo receptor that mediates the export of lipoproteins by recruiting cargos into COPII vesicles to facilitate their secretion. Acts as a cargo receptor for lipoproteins bearing both APOB and APOA1, thereby regulating lipoprotein delivery and the maintenance of lipid homeostasis. Synergizes with the GTPase SAR1B to mediate transport of circulating lipoproteins. Promotes the secretion of PCSK9. Also mediates the efficient secretion of erythropoietin (EPO). May also play a role in the maintenance of the architecture of the endoplasmic reticulum-Golgi intermediate compartment and of the Golgi.	Storage Stability	-20°C/1 year
Cell Pathway Endoplasmic reticulum membrane; Multi-pass membrane protein. Endoplasmic reticulum-Golgi intermediate compartment membrane; Multi-pass membrane protein. Golgi apparatus membrane; Multi-pass membrane protein. Cycles between the endoplasmic reticulum and the Golgi. Tissue Specificity Endoplasmic reticulum cargo receptor that mediates the export of lipoproteins by recruiting cargos into COPII vesicles to facilitate their secretion. Acts as a cargo receptor for lipoproteins bearing both APOB and APOA1, thereby regulating lipoprotein delivery and the maintenance of lipid homeostasis. Synergizes with the GTPase SAR1B to mediate transport of circulating lipoproteins. Promotes the secretion of PCSK9. Also mediates the efficient secretion of erythropoietin (EPO). May also play a role in the maintenance of the architecture of the endoplasmic reticulum-Golgi intermediate compartment and of the Golgi.	Synonyms	
reticulum-Golgi intermediate compartment membrane; Multi-pass membrane protein. Golgi apparatus membrane; Multi-pass membrane protein. Cycles between the endoplasmic reticulum and the Golgi. Tissue Specificity Endoplasmic reticulum cargo receptor that mediates the export of lipoproteins by recruiting cargos into COPII vesicles to facilitate their secretion. Acts as a cargo receptor for lipoproteins bearing both APOB and APOA1, thereby regulating lipoprotein delivery and the maintenance of lipid homeostasis. Synergizes with the GTPase SAR1B to mediate transport of circulating lipoproteins. Promotes the secretion of PCSK9. Also mediates the efficient secretion of erythropoietin (EPO). May also play a role in the maintenance of the architecture of the endoplasmic reticulum-Golgi intermediate compartment and of the Golgi.	Observed Band	30kD
Function Endoplasmic reticulum cargo receptor that mediates the export of lipoproteins by recruiting cargos into COPII vesicles to facilitate their secretion. Acts as a cargo receptor for lipoproteins bearing both APOB and APOA1, thereby regulating lipoprotein delivery and the maintenance of lipid homeostasis. Synergizes with the GTPase SAR1B to mediate transport of circulating lipoproteins. Promotes the secretion of PCSK9. Also mediates the efficient secretion of erythropoietin (EPO). May also play a role in the maintenance of the architecture of the endoplasmic reticulum-Golgi intermediate compartment and of the Golgi.	Cell Pathway	reticulum-Golgi intermediate compartment membrane ; Multi-pass membrane protein . Golgi apparatus membrane ; Multi-pass membrane protein . Cycles
recruiting cargos into COPI vesicles to facilitate their secretion. Acts as a cargo receptor for lipoproteins bearing both APOB and APOA1, thereby regulating lipoprotein delivery and the maintenance of lipid homeostasis. Synergizes with the GTPase SAR1B to mediate transport of circulating lipoproteins. Promotes the secretion of PCSK9. Also mediates the efficient secretion of erythropoietin (EPO). May also play a role in the maintenance of the architecture of the endoplasmic reticulum-Golgi intermediate compartment and of the Golgi.	Tissue Specificity	
Background	Function	recruiting cargos into COPII vesicles to facilitate their secretion. Acts as a cargo receptor for lipoproteins bearing both APOB and APOA1, thereby regulating lipoprotein delivery and the maintenance of lipid homeostasis. Synergizes with the GTPase SAR1B to mediate transport of circulating lipoproteins. Promotes the secretion of PCSK9. Also mediates the efficient secretion of erythropoietin (EPO). May also play a role in the maintenance of the architecture of the endoplasmic
	Background	



UpingBio technology Co.,Ltd





matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images