



SAA2 mouse mAb

Catalog No	YP-mAb-08578
Isotype	IgG
Reactivity	Human; Mouse
Applications	WB
Gene Name	SAA2
Protein Name	SAA2
Immunogen	Synthesized peptide derived from human SAA2 AA range: 36-86
Specificity	This antibody detects endogenous levels of SAA2 at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	
Cell Pathway	Secreted .
Tissue Specificity	Expressed by the liver; secreted in plasma.
Function	disease:BOL is from a patient with Waldenstrom macroglobulinemia.,disease:JL is from a patient with ankylosing spondylitis.,disease:Reactive, secondary amyloidosis is characterized by the extracellular accumulation in various tissues of the SAA protein. These deposits are highly insoluble and resistant to proteolysis; they disrupt tissue structure and compromise function.,disease:TH is from a patient with juvenile rheumatoid arthritis.,function:Major acute phase reactant. Apolipoprotein of the HDL complex.,induction:Upon cytokine stimulation.,mass spectrometry: PubMed:12606051,mass spectrometry: PubMed:12973732,mass spectrometry:With variant Ala-70 PubMed:1463770,mass spectrometry:With variants Ala-70, Val-75, Asn-78 and 86-Leu-Thr-87 PubMed:1463770,miscellaneous:Elevated serum SSA protein levels may be associated with lung cancer.,polymorphism:Both SAA1 and SAA2 have a number of alleles
Background	




matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using SAA2 mouse mAb