

(Tel: 400-999-8863 **(** Emall:Upingbio.163.com





CNTD2 Polyclonal Antibody

Catalog No	YP-Ab-16715
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	IHC;IF;ELISA
Gene Name	CNTD2
Protein Name	Cyclin N-terminal domain-containing protein 2
Immunogen	The antiserum was produced against synthesized peptide derived from human CNTD2. AA range:51-100
Specificity	CNTD2 Polyclonal Antibody detects endogenous levels of CNTD2 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	IHC: 1/100 - 1/300. ELISA: 1/40000 IF 1:50-200
Concentration	1 mg/ml
Purity	≥90%
	≥90% -20°C/1 year
Purity	
Purity Storage Stability	-20°C/1 year
Purity Storage Stability Synonyms	-20°C/1 year
Purity Storage Stability Synonyms Observed Band	-20°C/1 year CNTD2; Cyclin N-terminal domain-containing protein 2
Purity Storage Stability Synonyms Observed Band Cell Pathway	-20°C/1 year CNTD2; Cyclin N-terminal domain-containing protein 2 Nucleus .
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	-20°C/1 year CNTD2; Cyclin N-terminal domain-containing protein 2 Nucleus . Expression is induced in lung and colon cancer cells. similarity:Belongs to the cyclin family.,similarity:Contains 1 cyclin N-terminal
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	-20°C/1 year CNTD2; Cyclin N-terminal domain-containing protein 2 Nucleus . Expression is induced in lung and colon cancer cells. similarity:Belongs to the cyclin family.,similarity:Contains 1 cyclin N-terminal domain., similarity:Belongs to the cyclin family.,similarity:Contains 1 cyclin N-terminal
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	-20°C/1 year CNTD2; Cyclin N-terminal domain-containing protein 2 Nucleus . Expression is induced in lung and colon cancer cells. similarity:Belongs to the cyclin family.,similarity:Contains 1 cyclin N-terminal domain., similarity:Belongs to the cyclin family.,similarity:Contains 1 cyclin N-terminal domain.,




UpingBio technology Co.,Ltd

(Tel: 400-999-8863 **(** Emall:Upingbio.163.com



Products Images



Immunohistochemistry analysis of paraffin-embedded human breast carcinoma, using CNTD2 Antibody. The picture on the right is blocked with the synthesized peptide.