



SLC2A9 rabbit pAb

货号	YP-Ab-17784
应用	WB
种属	Human
同位型	IgG
靶点	SLC2A9
基因名称	SLC2A9 GLUT9
蛋白名称	Solute carrier family 2, facilitated glucose transporter member 9 (Glucose transporter type 9) (GLUT-9)
免疫原	Synthesized peptide derived from human SLC2A9
特异性	This antibody detects endogenous levels of SLC2A9 at Human
组成	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
来源	Polyclonal, Rabbit,IgG
稀释	WB 1:500-2000
纯化工艺	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
分子量	59kD
功能	Urate transporter, which may play a role in the urate reabsorption by proximal tubules . Does not transport glucose, fructose or galactose .
细胞定位	[Isoform 1]: Basolateral cell membrane ; Multi-pass membrane protein . ; [Isoform 2]: Apical cell membrane ; Multi-pass membrane protein. Basolateral cell membrane ; Multi-pass membrane protein .
组织表达	Most strongly expressed in basolateral membranes of proximal renal tubular cells, liver and placenta. Also detected in lung, blood leukocytes, heart skeletal muscle and chondrocytes from articular cartilage. Isoform 2 is only detected in the apical membranes of polarized renal tubular cells and placenta. Isoform 1 and isoform 2 are detected in kidney membrane (at protein level).
浓度	1 mg/ml
储存	-15°C to -25°C/1 year(Do not lower than -25°C)
有关注意事项	Avoid repeated freezing and thawing!
使用建议	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images