







## ARFGAP2 rabbit pAb

| 货号     | YP-Ab-17950  |
|--------|--|
| 同位型    | IgG  |
| 应用     | WB   |
| 种属     | Human;Mouse;Rat  |
| 靶点     | ARFGAP2  |
| 基因名称   | ARFGAP2 ZNF289 Nbla10535   |
| 蛋白名称   | ADP-ribosylation factor GTPase-activating protein 2 (ARF GAP 2) (GTPase-activating protein ZNF289) (Zinc finger protein 289)   |
| 免疫原    | Synthesized peptide derived from human ARFGAP2   |
| 特异性    | This antibody detects endogenous levels of ARFGAP2 at Human, Mouse,Rat   |
| 组成     | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  |
| 来源     | Polyclonal, Rabbit,IgG   |
| 稀释     | WB 1:500-2000  |
| 纯化工艺   | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.  |
| 分子量    | 57kD   |
| 功能     | GTPase-activating protein (GAP) for ADP ribosylation factor 1 (ARF1). Implicated in coatomer-mediated protein transport between the Golgi complex and the endoplasmic reticulum. Hydrolysis of ARF1-bound GTP may lead to dissociation of coatomer from Golgi-derived membranes to allow fusion with target membranes. |
| 细胞定位   | Cytoplasm . Golgi apparatus membrane ; Peripheral membrane protein ;<br>Cytoplasmic side . Also found on peripheral punctate structures likely to be<br>endoplasmic reticulum-Golgi intermediate compartment.  |
| 浓度     | 1 mg/ml  |
| 储存     | -15°C to -25°C/1 year(Do not lower than -25°C)   |
| 有关注意事项 | Avoid repeated freezing and thawing!   |
| 使用建议   | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.  |
|        |  |

## **Products Images**