







ERG (PTR2282) mouse mAb


| 货号 | YP-Ab-17964 |
|--------|--|
| 同位型 | IgG |
| 应用 | WB;ELISA |
| 种属 | Human |
| 靶点 | ERG |
| 基因名称 | ERG |
| 蛋白名称 | Transcriptional regulator ERG (Transforming protein ERG) |
| 免疫原 | Synthesized peptide derived from human ERG AA range: 200-300 |
| 特异性 | This antibody detects endogenous levels of ERG at Human, Predict react with Mouse;Rat |
| 组成 | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| 来源 | Mouse, monoclonal Mouse/IgG3, Kappa |
| 稀释 | WB 1:500-2000,ELISA 1:5000-20000 |
| 纯化工艺 | The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen. |
| 分子量 | 55kD |
| 功能 | Transcriptional regulator. May participate in transcriptional regulation through the recruitment of SETDB1 histone methyltransferase and subsequent modification of local chromatin structure. |
| 细胞定位 | Nucleus . Cytoplasm . Localized in cytoplasmic mRNP granules containing untranslated mRNAs. |
| 浓度 | 1 mg/ml |
| 储存 | -15°C to -25°C/1 year(Do not lower than -25°C) |
| 有关注意事项 | Avoid repeated freezing and thawing! |
| 使用建议 | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel. |

Products Images









Whole cell lysates were separated by 12% SDS-PAGE, and themembrane was blotted with anti-ERG (PTR2282) antibody. The HRP-conjugated Goat anti-Mouse IgG(H + L) antibodywas used to detect the antibody, Lane 1:Jurkat Predictedband size: 55kDa Observed band size: 68kDa

— ERG