



## DCXR rabbit pAb

货号	YP-Ab-18145
同位型	IgG
应用	WB
种属	Human;Mouse;Rat
靶点	DCXR
基因名称	DCXR
蛋白名称	L-xylulose reductase (XR) (EC 1.1.1.10) (Carbonyl reductase II) (Dicarbonyl/L-xylulose reductase) (Kidney dicarbonyl reductase) (kiDCR) (Sperm surface protein P34H)
免疫原	Synthesized peptide derived from human DCXR
特异性	This antibody detects endogenous levels of DCXR at Human, Mouse,Rat
组成	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
来源	Polyclonal, Rabbit,IgG
稀释	WB 1:500-2000
纯化工艺	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
分子量	27kD
功能	Catalyzes the NADPH-dependent reduction of several pentoses, tetroses, trioses, alpha-dicarbonyl compounds and L-xylulose. Participates in the uronate cycle of glucose metabolism. May play a role in the water absorption and cellular osmoregulation in the proximal renal tubules by producing xylitol, an osmolyte, thereby preventing osmolytic stress from occurring in the renal tubules.
细胞定位	Membrane ; Peripheral membrane protein . Probably recruited to membranes via an interaction with phosphatidylinositol. .
组织表达	Highly expressed in kidney, liver and epididymis. In the epididymis, it is mainly expressed in the proximal and distal sections of the corpus region. Weakly or not expressed in brain, lung, heart, spleen and testis.
浓度	1 mg/ml
储存	-15°C to -25°C/1 year(Do not lower than -25°C)
有关注意事项	Avoid repeated freezing and thawing!
使用建议	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.



## Products Images

