




# PI3 Kinase p85 $\beta$ mouse mAb

<b>Catalog No</b>	YP-Ab-14233
<b>Isotype</b>	IgG
<b>Reactivity</b>	Human;Mouse;Rat
<b>Applications</b>	WB
<b>Gene Name</b>	pik3r2
<b>Protein Name</b>	
<b>Immunogen</b>	Purified recombinant human PI3 Kinase p85 beta protein fragments expressed in E.coli.
<b>Specificity</b>	This antibody detects endogenous levels of PI3 Kinase p85 beta and does not cross-react with related proteins.
<b>Formulation</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source</b>	Monoclonal, Mouse
<b>Purification</b>	The antibody was affinity-purified from mouse ascites by affinity-chromatography using epitope-specific immunogen.
<b>Dilution</b>	wb 1:1000
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	$\geq 90\%$
<b>Storage Stability</b>	-20°C/1 year
<b>Synonyms</b>	p85; p85 beta; p85-BETA; P85B; P85B_HUMAN; Phosphatidylinositol 3 kinase; Phosphatidylinositol 3 kinase regulatory beta subunit; Phosphatidylinositol 3 kinase regulatory subunit beta; Phosphatidylinositol 3 kinase regulatory subunit polypeptide 2; Phosphatidylinositol 3 kinase, regulatory subunit, polypeptide 2 (p85 beta); Phosphatidylinositol 3-kinase 85 kDa regulatory subunit beta; phosphatidylinositol 3-kinase; Phosphatidylinositol 3-kinase regulatory beta subunit; Phosphatidylinositol 3-kinase regulatory subunit beta; Phosphoinositide 3 kinase regulatory subunit 2 (beta); Phosphoinositide 3 kinase regulatory subunit 2; Phosphoinositide 3 kinase regulatory subunit polypeptide 2 (p85 beta); Phosphoinositide 3 kinase regulatory subunit polypeptide 2; Phosphoinositide 3 kinase, regulatory subunit 2 (beta); Phosphoinositide 3 kinase, regulatory subunit 2 (p85 beta); PI3 kinase p85 beta subunit; PI3 kinase p85 subunit beta; PI3-kinase regulatory subunit beta; PI3-kinase subunit p85-beta;
<b>Observed Band</b>	85kD
<b>Cell Pathway</b>	nucleus,cytosol,phosphatidylinositol 3-kinase complex,



<b>Tissue Specificity</b>	Brain,Epithelium,Kidney,Placenta,
<b>Function</b>	function: Binds to activated (phosphorylated) protein-tyrosine kinases, through its SH2 domain, and acts as an adapter, mediating the association of the p110 catalytic unit to the plasma membrane.,similarity: Belongs to the PI3K p85 subunit family.,similarity: Contains 1 Rho-GAP domain.,similarity: Contains 1 SH3 domain.,similarity: Contains 2 SH2 domains.,subunit: Heterodimer of a p110 (catalytic) and a p85 (regulatory) subunits.,
<b>Background</b>	Phosphatidylinositol 3-kinase (PI3K) is a lipid kinase that phosphorylates phosphatidylinositol and similar compounds, creating second messengers important in growth signaling pathways. PI3K functions as a heterodimer of a regulatory and a catalytic subunit. The protein encoded by this gene is a regulatory component of PI3K. Two transcript variants, one protein coding and the other non-protein coding, have been found for this gene. [provided by RefSeq, Dec 2012],
<b>matters needing attention</b>	Avoid repeated freezing and thawing!
<b>Usage suggestions</b>	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## Products Images



Western blot detection of PI3 Kinase p85 beta in C6,K562,MCF7,U87MG,HCT116,3T3 and Hela cell lysates using PI3 Kinase p85 beta mouse mAb (1:1000 diluted). Predicted band size: 85KDa. Observed band size: 85KDa.