

(Tel: 400-999-8863 ■ Emall:Upingbio.163.com



Cytokeratin Pan mouse mAb(ABT154)

Reactivity
Applications IHC;WB;IF Gene Name CK pan; CK-pan Protein Name Cytokeratin Pan Immunogen Synthesized peptide derived from human Cytokeratin Pan Specificity The antibody can recognize multiple human Cytokeratins, including CK10, 13 14, 15, 16, 18, 19, and it can be used for immunohistochemical detection of tumors from monolayer and multilayered epithel Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.94% sodium azide. Source Mouse, Monoclonal/IgG1, Kappa Purification The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen. Dilution IHC-p 1:100-500, WB 1:200-1000, IF 1:100-500 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms ERROR 42 Observed Band Cell Pathway Cell junction, adherens junction. Cell membrane; Single-pass type I membrane
Gene Name CK pan; CK-pan Protein Name Cytokeratin Pan Immunogen Synthesized peptide derived from human Cytokeratin Pan Specificity The antibody can recognize multiple human Cytokeratins, including CK10, 13 14, 15, 16, 18, 19, and it can be used for immunohistochemical detection of tumors from monolayer and multilayered epithel Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.94% sodium azide. Source Mouse, Monoclonal/IgG1, Kappa Purification The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen. Dilution IHC-p 1:100-500, WB 1:200-1000, IF 1:100-500 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms ERROR 42 Observed Band Cell junction, adherens junction. Cell membrane; Single-pass type I membrane
Protein Name Cytokeratin Pan Immunogen Synthesized peptide derived from human Cytokeratin Pan Specificity The antibody can recognize multiple human Cytokeratins, including CK10, 13 14, 15, 16, 18, 19, and it can be used for immunohistochemical detection of tumors from monolayer and multilayered epithel Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.94% sodium azide. Source Mouse, Monoclonal/IgG1, Kappa Purification The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen. Dilution IHC-p 1:100-500, WB 1:200-1000, IF 1:100-500 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms ERROR 42 Observed Band Cell junction, adherens junction. Cell membrane; Single-pass type I membrane
Immunogen Synthesized peptide derived from human Cytokeratin Pan Specificity The antibody can recognize multiple human Cytokeratins, including CK10, 13 14, 15, 16, 18, 19, and it can be used for immunohistochemical detection of tumors from monolayer and multilayered epithel Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.94% sodium azide. Source Mouse, Monoclonal/IgG1, Kappa Purification The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen. Dilution IHC-p 1:100-500, WB 1:200-1000, IF 1:100-500 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms ERROR 42 Observed Band Cell junction, adherens junction . Cell membrane ; Single-pass type I membrane
Specificity The antibody can recognize multiple human Cytokeratins, including CK10, 13 14, 15, 16, 18, 19, and it can be used for immunohistochemical detection of tumors from monolayer and multilayered epithel Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.94% sodium azide. Source Mouse, Monoclonal/IgG1, Kappa Purification The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen. Dilution IHC-p 1:100-500, WB 1:200-1000, IF 1:100-500 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms ERROR 42 Observed Band Cell Pathway Cell junction, adherens junction. Cell membrane; Single-pass type I membrane
Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.94% sodium azide. Source Mouse, Monoclonal/IgG1, Kappa Purification The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen. Dilution IHC-p 1:100-500, WB 1:200-1000, IF 1:100-500 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms ERROR 42 Observed Band Cell junction, adherens junction . Cell membrane ; Single-pass type I membrane
Source Mouse, Monoclonal/IgG1, Kappa Purification The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen. Dilution IHC-p 1:100-500, WB 1:200-1000, IF 1:100-500 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms ERROR 42 Observed Band Cell junction, adherens junction . Cell membrane ; Single-pass type I membrane
Purification The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen. Dilution IHC-p 1:100-500, WB 1:200-1000, IF 1:100-500 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms ERROR 42 Observed Band Cell junction, adherens junction . Cell membrane ; Single-pass type I membrane
using specific immunogen. Dilution IHC-p 1:100-500, WB 1:200-1000, IF 1:100-500 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms ERROR 42 Observed Band Cell Pathway Cell junction, adherens junction . Cell membrane ; Single-pass type I membrane
Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms ERROR 42 Observed Band Cell Pathway Cell junction, adherens junction . Cell membrane ; Single-pass type I membrane
Purity ≥90% Storage Stability -20°C/1 year Synonyms ERROR 42 Observed Band Cell Pathway Cell junction, adherens junction . Cell membrane ; Single-pass type I membrane
Storage Stability -20°C/1 year Synonyms ERROR 42 Observed Band Cell Pathway Cell junction, adherens junction . Cell membrane ; Single-pass type I membrane
Synonyms ERROR 42 Observed Band Cell Pathway Cell junction, adherens junction . Cell membrane ; Single-pass type I membrane
Observed Band Cell Pathway Cell junction, adherens junction . Cell membrane ; Single-pass type I membrane
Cell Pathway Cell junction, adherens junction . Cell membrane ; Single-pass type I membrane
Cell Pathway Cell junction, adherens junction. Cell membrane; Single-pass type I membrane protein. Endosome. Golgi apparatus, trans-Golgi network. Colocalizes with
DLGAP5 at sites of cell-cell contact in intestinal epithelial cells. Anchored to actir microfilaments through association with alpha-, beta- and gamma-catenin. Sequential proteolysis induced by apoptosis or calcium influx, results in translocation from sites of cell-cell contact to the cytoplasm. Colocalizes with RAB11A endosomes during its transport from the Golgi apparatus to the plasma membrane.
Tissue Specificity Non-neural epithelial tissues.
Function ERROR 42
Background ERROR 42
matters needing Avoid repeated freezing and thawing! attention



UpingBio technology Co.,Ltd


📞 Tel: 400-999-8863 🗷 Emall:Upingbio.163.com




Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.


Products Images



Fluorescence multiplex immunohistochemical analysis of normal human appendix tissue (formalin-fixed paraffin-embedded section). The section was incubated in 3 rounds of staining; in the order of CK PAN .(Catalog no:YM6815 1/200 dilution), PD-1.(Catalog no:YM6208 1/200 dilution), Caldesmon pan. (Catalog no:YM6826 1/200 dilution), each using a separate fluorescent tyramide signal amplification system: Treble-Fluorescence immunohistochemical mouse/rabbit kit Catalog NO: RS0035 (pH9.0)



Human endometrial adenocarcinoma tissue was stained with Anti-Cytokeratin (ABT154) Antibody



Human esophageal squamous cell carcinoma tissue was stained with Anti-Cytokeratin (ABT154) Antibody




UpingBio technology Co.,Ltd


(Tel: 400-999-8863 **(** Emall:Upingbio.163.com







Human hepatocellular carcinoma tissue was stained with Anti-Cytokeratin (ABT154) Antibody



Human lung adenocarcinoma tissue was stained with Anti-Cytokeratin (ABT154) Antibody