







KCTD4 rabbit pAb


| Catalog No | YP-Ab-12335 |
|--|---|
| Isotype | IgG |
| Reactivity | Human; Mouse |
| Applications | WB |
| Gene Name | KCTD4 |
| Protein Name | KCTD4 |
| Immunogen | Synthesized peptide derived from human KCTD4 AA range: 66-116 |
| Specificity | This antibody detects endogenous levels of KCTD4 at Human/Mouse |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source | Polyclonal, Rabbit,IgG |
| Purification | The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen. |
| Dilution | WB 1: 500-2000 |
| Concentration | 1 mg/ml |
| | |
| Purity | ≥90% |
| Purity Storage Stability | ≥90% -20°C/1 year |
| | |
| Storage Stability | |
| Storage Stability Synonyms | |
| Storage Stability Synonyms Observed Band | |
| Storage Stability Synonyms Observed Band Cell Pathway | |
| Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity | -20°C/1 year |
| Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function | -20°C/1 year |
| Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing | -20°C/1 year similarity:Contains 1 BTB (POZ) domain., |







Products Images



Western blot analysis of lysates from MCF-7 cells, primary antibody was diluted at 1:1000, 4° over night