




PRR12 rabbit pAb

Catalog No	YP-Ab-12359
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB;IHC
Gene Name	PRR12 KIAA1205
Protein Name	PRR12
Immunogen	Synthesized peptide derived from human PRR12 AA range: 1079-1129
Specificity	This antibody detects endogenous levels of PRR12 at Human
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1:500-2000;IHC-p 1:50-300
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	
Cell Pathway	Nucleus . Cell junction, synapse, postsynaptic density . Cell junction, synapse, synaptosome .
Tissue Specificity	
Function	similarity:Contains 2 A.T hook DNA-binding domains.,
Background	This gene encodes a proline-rich protein that contains two A-T hook DNA binding domains. A chromosomal translocation and gene fusion between this gene and zinc finger, MIZ-type containing 1 (Gene ID: 57178) may underlie intellectual disability and neuropsychiatric problems in a human patient. Enriched expression of this gene in embryonic mouse brain suggests that this gene may play a role in nervous system development. [provided by RefSeq, Jul 2016],
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.



Products Images



Western blot analysis of lysates from K562 cells, primary antibody was diluted at 1:1000, 4° over night



Immunohistochemical analysis of paraffin-embedded human oophoroma. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA, pH9.0 was used for antigen retrieval. 3, Secondary antibody was diluted at 1:200(room temperature, 45min).